

REFERENCES

- Chen I. H., Wang C. C. & Chen C. Y. (2009), "Fabrication and characterization of magnetic cobalt ferrite/polyacrylonitrile and cobalt ferrite/carbon nanofibers by electrospinning", *Science Direct*; 48, 604 – 611.
- Chen X. & Mao S. S. (2007), "Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications", *Chemical Reviews*; 107, 2891 – 2959.
- Choi K. J. & Hong S. W. (2011), "Preparation of TiO₂ nanofibers immobilized on quartz substrate by electrospinning for photocatalytic degradation of ranitidine", *Research on Chemical Intermediates*; 38, 1161–1169.
- Choi W. (2006), "Pure and modified TiO₂ photocatalysts and their environmental applications", *Catalysis Surveys from Asia*; 10, 16 – 28.
- Chuangchote S., Jitputti J., Sagawa T. & Yoshikawa S. (2009), "Photocatalytic activity for hydrogen evolution of electrospun TiO₂ nanofiber", *Applied Materials & Interfaces*; 1, 1140–1143.
- Cristallo G., Roncari E., Rinaldo A. & Trifirò F. (2001), "Study of anatase-rutile transition phase in monolithic catalyst V₂O₅/TiO₂ and V₂O₅-WO₃/TiO₂", *Applied Catalysis A*; 209, 249 - 256.
- Cullity, B.D. & Stock, S.R. (2001), "Elements of X-ray Diffraction", 3rd Edition Prentice Hall.
- Doh S. J., Kim C., Lee S. G., Lee S. J. & Kim H. (2007), "Development of photocatalytic TiO₂ nanofibers by electrospinning and its application to degradation of dye pollutants", *Journal of Hazardous Materials*; 154, 118–127.
- Dutrow B. L. & Clark C. M. (2012), "Integrating research and education: Geochemical Instrumentation and Analysis: Techniques X-ray Powder Diffraction (XRD)", [http://www. MSDS and instrumentation/Instrumentation/XRD.html](http://www.MSDSandinstrumentation.com/Instrumentation/XRD.html) (accessed on 21 March 2013).

REFERENCES

- Dzenis Y. A. (2004), "Spinning continuous fibers for nanotechnology", *Science*; 304, 1917-1919.
- Egerton, R.F. (2005), "Physical principles of electron microscopy: An introduction to TEM, SEM and AEM", *Springer*, USA.
- Fujishima A., Hashimoto K. & Watanabe T. (1999). "TiO₂ Photocatalysis Fundamentals and Applications", BKC Inc, 174.
- Goodge J. (2013), "Integrating research and education: Geochemical Instrumentation and Analysis: Techniques X-ray Powder Diffraction (XRD)", [http://www.MSDS and instrumentation/Instrumentation/EDS.html](http://www.MSDSandinstrumentation.com/Instrumentation/EDS.html) (accessed on 21 March 2013).
- Hackley V. A. & Ferraris C. F. (2001), "The use of nomenclature in dispersion science & technology", available at: <http://libcloud.s3.amazonaws.com/93/5a/1/2746/NMI-report-XRD-anatase.pdf> (accessed 8 May 2013).
- Herrmann J. M., Houas A., Lachheb H., Ksibi M., Elaloui E. & Guillard C. (2001), "Photocatalytic degradation pathway of methylene blue in water", *Applied Catalysis B: Environmental*; 31, 145 – 157.
- Hoefelmeyer J. D., Koodali R., Sereda G., Engebretson D., Puszynski J., Swiatkiewicz J., Fong H., Ahrenkiel P. & Shende R. (2011), "USD Catalysis Group for Alternative Energy", *DOE Hydrogen and Fuel Cells Program* ; 11, 164 – 169.
- Hoffmann M. R., Martin S. T., Choi W. & Bahnemann D. W. (1995), "Environmental Applications of Semiconductor Photocatalysis", *Chemical Reviews*; 95, 6.
- Holler F. J., Skoog D. A. & Crouch S. R. (2007), "Principles of Instrumental Analysis", *International Student edition*; 6th edition 259 – 266.

REFERENCES

http://www.pipeflow.co.uk/public/articles/Viscosity_And_Density_Units_And_Formula.pdf (Accessed on 27 July 2013)

Hu G., Meng X., Feng X., Ding Y., Zhang S. & Yang M. (2007), “Anatase TiO₂ nanoparticles/carbon nanotubes nanofibres: preparation, characterization and photocatalytic properties”, *Journal of Materials Science*; 42, 7162 – 7170.

Huang Z. M., Zhang Y. Z., Kotaki M. & Ramakrishna S. (2003), “A review on polymer nanofibers by electrospinning and their applications in nanocomposites”, *Composites Science and Technology*; 63, 2223 – 2253.

Kanjwal M. A., Barakat N. A. M., Sheikh F. A., Baek W., Khil M. S. & Kim H. Y. (2010), “Effects of silver content and morphology on the catalytic activity of silver-grafted titanium oxide nanostructure”, *Fibers and Polymers*; 11, 700 - 709.

Karunakaran C., Anilkumar P. & Gomathisankar P. (2011), “Photoproduction of iodine with nanoparticulate semiconductors and insulators”, *Chemistry Central Journal*; available at: http://openi.nlm.nih.gov/detailedresult.php?img=3141621_1752-153X-5-31-1&req=4 (accessed 21 February 2013)

Le N. T. T., Nagata H., Aihara M., Takahashi A., Okamoto T., Shimohata T., Mawatari K., Kinouchi Y., Akutagawa M. & Haraguchi M. (2011), “Applied and environmental microbiology, additional effects of silver nanoparticles on bactericidal efficiency depend on calcination temperature and dip-coating speed”, *American Society for Microbiology*; 77, 5629–5634.

Lee C. B. (2009), “Influence of TiCl₄ treatment on dye-sensitized solar cell with electrospun TiO₂ nanofibers”, *Journal of Future Fusion Technology*; 1, 43 – 46.

Lee D. Y., Cho J. E., Lee M. H., Cho N. I. & Song Y. S. (2008), “Insertion of a TiO₂ buffer layer for the fixation of electrospun TiO₂ nanofibers on glass substrates”, *Korean Physical Society*; 55, 84 – 88.

REFERENCES

- Lezere (2011), <http://monographs.iarc.fr/ENG/Monographs/vol93/mono937.pdf> (accessed 28 March 2012)
- Li G., Li L., Boerio-Goates J., Brian F. & Woodfield J. (2005), "High purity anatase TiO₂ nanocrystals: Near room-Temperature synthesis, grain growth kinetics, and surface hydration chemistry", *Journal of the American Chemical Society*; 127, 8659 – 8666.
- Li J., Zheng L., Li L., Xian Y. & Jin L. (2006), "Fabrication of TiO₂/Ti electrode by laser-assisted anodic oxidation and its application on photoelectrocatalytic degradation of methylene blue", *Journal of Hazardous Materials*; 139, 72 – 78.
- Lim J. I., Yu B., Woo K. M. & Lee Y. K. (2008), "Immobilization of TiO₂ nanofibers on titanium plates for implant applications", *Applied Surface Science*; 255, 2456 – 2460.
- Lin Y. P., Chen Y. Y., Lee Y. C. & Chen-Yang Y. W. (2011), "Synthesis of mesoporous anatase TiO₂ nanofibers by electrospinning with room temperature ionic liquid and its application on dye-sensitized solar cells", *Ceramic Society*; 89, 1861.
- Litovchenko G. D. & Girshgorn V. M. (2004), "Study of the interaction of polyacrylonitrile with solvents according to IR absorption spectra", *UDC*; 535, 34.
- López-Chuken U. J. (2012), "Hydroponics and Environmental Clean-Up" *A Standard Methodology for Plant Biological Researches*; 181-199.
- Macwan D. P., Dave P. N. & Chaturvedi S. (2011), "A review on nano-TiO₂ sol-gel type syntheses and its applications", *Journal of Materials Science*; 46, 3669 – 3686.
- Martinez T., Bertron A., Ringot E. & Escadeillas G. (2011), "Degradation of NO using photocatalytic coatings applied to different substrates", *Elsevier*; 46, 1808 - 1816.

REFERENCES

- Mehranpour H., Askari M. & Ghamsari M. S. (2011), "Nucleation and Growth of TiO₂ Nanoparticles", *Nanomaterials*; 3-26.
- Mishra S. and Ahrenkiel S. P. (2011), "Synthesis and characterization of electrospun nanocomposite TiO₂ nanofibers with Ag nanoparticles for photocatalysis applications", *Journal of Nanomaterials*; 1, 1 - 6.
- Munekwa, S. & Ferrara J. D. 1998, "Imaging plates as detectors for x-ray diffraction", *The Rigaku Journal*; 5, 2.
- Nagaveni K., Hegde M. S., Ravishankar N., Subbanna G. N. & Madras G. (2004), "Synthesis and structure of nanocrystalline TiO₂ with lower band gap showing high photocatalytic activity", *Langmuir*; 20, 2900 – 2907.
- Nakane K. & Ogata N. (2010), "Photocatalyst Nanofibers Obtained by Calcination of Organic-Inorganic Hybrids", *Nanofibres*; 2-214-228.
- Nakane K., Yasuda K., Ogihara T., Ogata N. & Yamaguchi S. (2007), "Formation of poly(vinyl alcohol)-titanium lactate hybrid nanofibers and properties of TiO₂ nanofibers obtained by calcination of the hybrids", *Journal of Applied Polymer Science*; 104, 1232 – 1235.
- Ochanda F. O., Rajukada S & Barnett M. R. (2012), "Controlled Synthesis of TiO₂ Hierarchical Nanofibre Structures via Electrospinning and Solvothermal Processes: Photocatalytic Activity for Degradation of Methylene Blue", *Nanomaterials and Nanotechnology*; 2, 1 – 9.
- Ojha S.S. (2007), "Fabrication and characterization of novel single and bicomponent electrospun nanofibrous mats", *Raleigh*; 40, 997.
- Park J. Y., Hwang K. J., Lee J. W. & Lee I. H. (2011), "Fabrication and characterization of electrospun Ag doped TiO₂ nanofibers for photocatalytic reaction", *Journal of Materials Science*; 46, 7240 – 7246.

REFERENCES

- Podbielska H. & Ulatowska-Jarza A. 2005, "Sol-gel technology for biomedical engineering", *Bulletin of the Polish Academy of Sciences Technical Sciences*; 53, 261 - 271.
- Prairie M. R., Evans L. R., Stange B. M. & Marlinez S. L. (1993), "An investigation of TiO₂ photocatalysis for the treatment of water contaminated with metals and organic chemicals", *Environmental Science & Technology*; 27, 1776 – 1782.
- Prasai B., Cai B., Underwood M. K., Lewis J. P. & Drabold D. A. (2012), "Properties of amorphous and crystalline titanium dioxide from first principles", *Journal of Materials Science*; 47, 7515 – 7521.
- Radich, J. G. & Kamat, P. V. (2013), "Making Graphene Holey. Gold-Nanoparticle-Mediated Hydroxyl Radical Attack on Reduced Graphene Oxide", *ACS Nano*; 7, 5546 – 5557.
- Riley M., Borja J., Gill W. N. & Plawsky J. (2010), "Development of integrated photocatalytic systems", *Chemical Engineering and Processing*; 46, 781.
- Saravanan L., Kumar R. M., Pandurangan A. & Jayavel R. (2010), "Synthesis and photophysical studies of PVP capped Titania Nanostrips for photocatalytic applications", *Optoelectronics and Advanced Materials – Rapid Communications*; 4, 1676 – 1680.
- Shrivastava V. S. (2012), "Photocatalytic degradation of Methylene blue dye and Chromium metal from wastewater using nanocrystalline TiO₂ Semiconductor", *Archives of Applied Science Research*; 4, 1244 - 1254.
- Stamate M. & Lazar G. (2007), "Application of titanium dioxide photocatalysis to create self-cleaning materials", *Romanian Technical Sciences Academy*; 3, 280 - 285.
- Swapp S. (2013), "Integrating Research and Education: Geochemical Instrumentation and Analysis: Techniques Scanning Electron Microscopy (SEM)",

REFERENCES

<http://www.MSDSandinstrumentation/Instrumentation/SEM.html> (accessed on 21 March 2013).

Tang J., Redl F., Zhu Y., Siegrist T., Brus L. E., & Steigerwald M. L. (2005), "An organometallic synthesis of TiO₂ nanoparticles", *Nano Letters*; 5, 543 - 548.

Tavakoli A., Sohrabi M. & Kargari A. (2007), "A Review of methods for synthesis of nanostructured metals with emphasis on iron compounds. Institute of chemistry", *Slovak Academy of Sciences*; 61, 151 - 170.

Titanium Dioxide (TiO₂) Photocatalysis in Concrete
[http://pavemaintenance.wikispaces.com/TiO₂+Photocatalys++Shannon](http://pavemaintenance.wikispaces.com/TiO2+Photocatalys++Shannon) (accessed on 27 July 2013)

Walter B., Heukelbach J., Fengler G., Worth C., Hengge U. & Feldmeier H. (2011), "Comparison of Dermoscopy, Skin Scraping, and the Adhesive Tape Test for the Diagnosis of Scabies in a Resource-Poor Setting", *Arch Dermatol*; 147, 468 – 473.

Wang C., Shao C., Zhang X. & Liu Y. (2009), "SnO₂ nanostructures-TiO₂ nanofibers heterostructures: controlled fabrication and high photocatalytic properties", *Inorganic Chemistry*; 48, 7261 – 7268.

Wattanaarun J., Pavarajarn V. & Supaphol P. (2005), "Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant", *Science and Technology of Advanced Materials*; 6, 240–245.

Yu H., Irie H. & Hashimoto K. (2010), "Conduction band energy level control of titanium dioxide: toward an efficient visible-light-sensitive photocatalyst", *Jacs communications*; 132, 6898 – 6899.

Zalay O. C., Bardakjian B. L. (2008), "Mapped clock oscillators as ring devices and their application to neuronal electrical rhythms", *Trans Neural Syst Rehabil Eng*; 16, 233 – 244.

REFERENCES

Zhang J., Xu Q., L, M., Feng Z., & Li C. (2009). “UV raman spectroscopic study on TiO₂. II. Effect of nanoparticle size on the outer/Inner phase transformations”, *The Journal of Physical Chemistry C*; 113, 1698 – 1704.

Zhang T., Ge L., Wang X. & Gu Z. (2008), “Porous TiO₂ containing multilayer nanofibers with enhanced photocatalytic activity”, *Polymer*; 49, 2898 – 2902.

Zhang W., Zhao J., Liu Z., Liu Z. & Fu Z. (2010), “Influence of TiO₂ Buffer on Structure and Optical Properties of ZnO Film on Si(100) Substrate”, *Materials Transactions*; 51, 1064 – 1066.

