

Sun, Q.Q., Xu, S.S., Pan, J.L., Guo, H.M., Cao, W.Q., 1999. "Huperzine-A capsules enhance memory and learning performance in 34 pairs of matched adolescent students." *Zhongguo yao li xue bao*. *Acta Pharmacologica Sinica* 20, 601–603.

Syrovets, T., Büchele, B., Gedig, E., Slupsky, J.R., Simmet, T., 2000. Acetyl-boswellic acids are novel catalytic inhibitors of Human Topoisomerases I and IIa. *Molecular Pharmacology* 58, 71–81.

Talapatra, B., Patra, A., Talapatra, K.S., 1975. Terpenoids and alkaloids of the leaves of *Tabernaemontana coronaria*. *Phytochemistry* 41, 1652-1653.

Takahashi, A., Ohtani, N., Yamakoshi, K., Iida, S., Tahara, H., Nakayama, K., Nakayama K.I., Ide, T., Saya, H., Hara, E., 2006. "Mitogenic signalling and the p16INK4a-Rb pathway cooperate to enforce irreversible cellular senescence". *Nature Cell Biology* 8, 1291–1297.

Tan, S., Lim, K., Subramaniam, G, Kam, T., 2013. Macroline-sarpagine and macroline-pleiocarpamine bisindole alkaloids from *Alstonia angustifolia*. *Phytochemistry* 5, 194-202.

Thaler, R., Spitzer, S., Karlic, H., Berger, C., Klaushofer, K., Varga, F., 2013. Ibandronate increases the expression of the pro-apoptotic gene FAS by epigenetic mechanisms in tumor cells. *Biochemical Pharmacology* 85, 173-185.

Thomas, D. W., Achenbach, H., Biemann, K. 1966. 15-(14'-eburnamyl) pleiocarpinine (pleiomutine). A new dimeric indole alkaloid from *Pleiocarpa mutica* Benth. *Journal of the American Chemical Society* 88, 1537-1544.

Thomas, D. W., Achenbach, H., Biemann, K., 1966. Revised structures of the pleiocarpa alkaloids Pleiocarpoline (Pleiocarpine Nb-Oxide), Pleiocarpolinine (Pleiocarpinine Nb-Oxide), and Kopsinoline (Kopsinine Nb-Oxide). *Journal of the American Chemical Society* 88, 3423-3426.

Thornberry, N.A., Lazebnik, Y., 1998. Caspases: enemies within. *Science* 281, 1312-1316.

Thornberry, N.A., Bull, H.G., Calaycay, J.R., Chapman, K.T, Howard, A.D., Kostura, M.J., Miller, D.K., Molineaux, S.M., Weidner, J.R, Aunins, J.,1992. A novel heterodimeric cysteine protease is required for interleukin-1 beta processing in monocytes. *Nature* 356, 768-774.

Ting C. Y., Hsu C. T., Hsu H. T., Su J. S., Chen T. Y., Tarn W. Y., Kuo Y. H., Whang- Peng J., Liu L.F., Hwang J., 2003. Isodiospyrin as a novel human DNA topoisomerase I inhibitor. *Biochemical Pharmacology* 66, 1981–1991.

Toler, S.M., Noe, D., Sharma, A., 2006. "Selective enhancement of cellular oxidative stress by chloroquine: implications for the treatment of glioblastoma multiforme". *Neurosurg Focus* 21, E10.

Trease, G.E., Evans, W.C., 1996. *Pharmacognosy*, 14th edition, WB Saunder, London, UK.

Tsao, D. P. N., Rosecrans, J. A., Defeo, J. J., Youngken, H. W., 1961. A note on the biological activity of root extracts from *Pleiocarpa mutica* Benth. (Apocynaceae). *Economic Botany* 15, 99-103.

Tu, H.Y., Huang, A., Wei, B., Gan, K., Hour T., Yang, S., Pu,Y., Lin,C., 2009 .Ursolic acid derivatives induce cell cycle arrest and apoptosis in NTUB1 cells associated with reactive oxygen species. *Bioorganic & Medicinal Chemistry* 17, 7265–7274

van Agtmael, M.A., Eggelte, T.A., van Boxtel, C.J., 1999. Artemisinin drugs in the treatment of malaria: from medicinal herb to registered medication. *Trends in Pharmacological Sciences* 20, 199– 205.

van Der Heijden, R., Jacobs, D.I., Snoeijer, W., Hallard, D., Verpoorte, R., 2004.

The Catharanthus alkaloids: pharmacognosy and biotechnology. *Current Medicinal Chemistry* 11, 607–628.

van Heerden, F. R., Marthinus Horak, R., Maharaj, V. J., Vleggaar, R., Senabe, J. V., Gunning, P. J., 2007. An appetite suppressant from *Hoodia* species. *Phytochemistry* 68(20), 2545-2553.

van Heerden, F.R., 2008. *Hoodia gordonii*: A natural appetite suppressant. *Journal of Ethnopharmacology* 119, 434–437.

Van Wyk, B.E., Gericke, N., 2000. People's Plants: A guide to useful plants of Southern Africa. Briza Publications, Pretoria, South Africa.

Van Wyk, B.E., Van Oudtshoorn, B., Gericke, N., 2000. Medicinal plants of Southern Africa, 2nd edition. Briza, South Africa.

Walter, G., Rey, J.M., 1999. The relevance of herbal treatments for psychiatric practice. Australian & New Zealand Journal of Psychiatry 33, 482–489.

Wagner, H., Bladt, S., 2001. Plant drug analysis: a thin layer chromatography atlas, second edition, Springer, New York.

Wang, B., Wang, H., Wei, Z., Song, Y., Zhang, L., Chen, H., 2009. "Efficacy and safety of natural acetylcholinesterase inhibitor huperzine A in the treatment of Alzheimer's disease: an updated meta-analysis". Journal of Neural Transmission 116, 457.

Wang, C.H., Wang, G.C., Wang, Y., Zhang, X.Q., Huang, X.J., Zhang, D.M., Chen, M.F., Ye, W.C., 2012. Cytotoxic dimeric indole alkaloid from *Catharanthus roseus*. Fitoterapia 83, 765-769.

Wang, L., Zhang, Y., He, H.P., Zhang, Q., Li, S.F., Hao, X.J., 2011. Three new terpenoid indole alkaloids from *Catharanthus roseus*. Planta Medica 77, 754-758.

Wani, M. C., Taylor, H. L., Wall, M. E., Coggon, P., McPhail, A. T., 1971. Plant antitumor agents VI. Isolation and structure of taxol, a novel antileukemic and antitumor agent from *Taxus brevifolia*. Journal of the American Chemical Society 93(9), 2325-2327.

Warrier, P.K., Nambiar, V.P.K., Ramankutty, C., 1996. Indian medicinal plants. Hyderabad, India: Orient Longman.

Wiert, C., 2006. Medicinal plants of Asia and the Pacific. CRC Press/Taylor & Francis, Boca Raton.

Wikipedia . Apocynaceae, accessed on line on 2013/03/12. Available at <http://en.wikipedia.org/wiki/Apocynaceae>.

World Health Organization., 2007. Ten statistical highlights in global public health. World Health Statistics 2007 . Geneva: World Health Organization.

World Health Organization., 2008. World Cancer Report 2008. Lyon: International Agency for Research on Cancer.

Wyllie, A.H., Kerr, J.F., Currie, A.R., 1980. Cell death: the significance of apoptosis. International Review of Cytology 68, 251–306.

Yang, S.S., Cragg, G.M., Newman, D.J., Bader, J.P., 2001. Natural product based anti-HIV drug discovery and development facilitated by the NCI developmental therapeutics program. Journal of Natural Products 64, 265– 277.

Ya'u, J., Yaro, A.H., Abubakar, M.S., Anuka, J.A., Hussain, I.M., 2008. Anticonvulsant activity of *Carissa edulis* (Vahl) (Apocynaceae) root bark extract. Journal of Ethnopharmacology 120, 255–258.

Yeruva, L., Pierre, K.J., Elegbede, A., Wang, R.C., Carper, S.W., 2007. Perillyl alcohol and perillic acid induced cell cycle arrest and apoptosis in non small cell lung cancer cells. Cancer Letters 257, 216-226.

Yu, D., Suzuki, M., Xie, L., Morris-Natschke, S.L., Lee, K.H., 2003. Recent progress in the development of coumarin derivatives as potent anti-HIV agents. Medical Research Reviews 23, 322– 345.

Zhao, Y., Wu, M., Shen, Y., Zhai, Z., 2001. Analysis of nuclear apoptotic process in a cell-free system. Cellular and Molecular Life Sciences 58, 298-306.

Zhao, M., Bai, L., Wang, L., Toki, A., Hasengawa, T., Kikuchi, M., Abe, M., Sakai, J.I., Hasengawa, R., Bai, Y., Mitsui, T., Ogura, H., Kataoka, T., Oka, S., Tsushima, H., Kiuchi, M., Hirose, K., Tomida, A., Tsuruo, T., Ando, M., 2007. Bioactive cardenolides from the stems and twigs of *Nerium oleander*. Journal of Natural Products 70, 1098–1103.

Zhang, J.S., Ding, J., Tang, Q.M., Li, M., Zhao, M., Lu, L.J., Chen, L.J., Yuan, S.T., 1999.

Synthesis and antitumor activity of novel diterpene quinone salvicine and the analogs. *Bioorganic and Medicinal Chemistry Letters* 9, 2731–2736.

Zhongyaoshijia., 2009. Accessed online on 2010/10/10.

Available at http://www.zysj.com.cn/zhongyaocai/yaocai_q/qingdai.html#399.

Zocoler, M.A., de Oliveira, A.J.B., Sarragiotto, M.H., Viviane L. Grzesiuk, V.L., Vidotti, G.J., 2005. Qualitative determination of indole alkaloids of *Tabernaemontana fuchsiaefolia* (Apocynaceae) *Journal of the Brazilian Chemical Society* 16, 1372-1377.

