

35. Esteves, A.F., Almeida, C.J., Gonçalves, A.L. and Pires, J.C., 2020. Microalgae harvesting techniques. In *Handbook of Microalgae-Based Processes and Products* (pp. 225-281). Academic Press. pg. 30-33 <https://doi.org/10.1016/B978-0-12-818536-0.00010-5>
36. Brandt, M.J., Johnson, K.M., Elphinston, A.J. and Ratnayaka, D.D., 2017. Storage, clarification and chemical treatment. *Twort's Water Supply*, pp.323-366.
37. Tuser, C., What is water filtration? | <https://www.wwdmag.com/what-articles/what-water-filtration>
38. *Community water treatment*. Water treatment | Public water systems | Drinking water | Healthy water | CDC. https://www.cdc.gov/healthywater/drinking/public/water_treatment.html
39. Andreottola, G., Cadonna, M., Foladori, P., Gatti, G., Lorenzi, F. and Nardelli, P., 2007. Heavy metal removal from winery wastewater in the case of restrictive discharge regulation. *Water science and technology*, 56(2), pp.111-120. <https://doi.org/10.2166/wst.2007.479>
40. Remmers H, 2008. *Barriers to Thermal Desalination in the United States*. Desalination and Water Purification Research and Development Program Report No. 144. pg. 2,6
41. Khoshrou, I., Nasr, M.J. and Bakhtari, K., 2017. New opportunities in mass and energy consumption of the Multi-Stage Flash Distillation type of brackish water desalination process. *Solar Energy*, 153, pp.115-125. <https://doi.org/10.1016/j.solener.2017.05.021>
42. Bragg-Sitton, S., 2014. *Hybrid energy systems (HESs) using small modular reactors (SMRs)* (No. INL/JOU-14-33543). Idaho National Laboratory (INL). <https://doi.org/10.1533/9780857098535.3.319>
43. Wang, X., Christ, A., Regenauer-Lieb, K., Hooman, K. and Chua, H.T., 2011. Low grade heat driven multi-effect distillation technology. *International Journal of Heat and Mass Transfer*, 54(25-26), pp.5497-5503. <https://doi.org/10.1016/j.ijheatmasstransfer.2011.07.041>
44. Bahar, R., Hawlader, M.N.A. and Woei, L.S., 2004. Performance evaluation of a mechanical vapour compression desalination system. *Desalination*, 166, pp.123-127. <https://doi.org/10.1016/j.desal.2004.06.066>
45. Filtration water treatment process | Wastewater filtration. <https://www.veoliawatertechnologies.co.uk/technologies/filtration-water-treatment>
46. Fritzmann, C., Löwenberg, J., Wintgens, T. and Melin, T., 2007. State-of-the-art of reverse osmosis desalination. *Desalination*, 216(1-3), pp.1-76. <https://doi.org/10.1016/j.desal.2006.12.009>

47. Malaeb, L. and Ayoub, G.M., 2011. Reverse osmosis technology for water treatment: State of the art review. *Desalination*, 267(1), pp.1-8. <https://doi.org/10.1016/j.desal.2010.09.001>
48. Greenlee, L.F., Lawler, D.F., Freeman, B.D., Marrot, B. and Moulin, P., 2009. Reverse osmosis desalination: water sources, technology, and today's challenges. *Water research*, 43(9), pp.2317-2348. <https://doi.org/10.1016/j.watres.2009.03.010>
49. Al-Amshawee, S., Yunus, M.Y.B.M., Azoddein, A.A.M., Hassell, D.G., Dakhil, I.H. and Hasan, H.A., 2020. Electrodialysis desalination for water and wastewater: A review. *Chemical Engineering Journal*, 380, p.122231. <https://doi.org/10.1016/j.cej.2019.122231>
50. Lee, H.J., Sarfert, F., Strathmann, H. and Moon, S.H., 2002. Designing of an electrodialysis desalination plant. *Desalination*, 142(3), pp.267-286. [https://doi.org/10.1016/S0011-9164\(02\)00208-4](https://doi.org/10.1016/S0011-9164(02)00208-4)
51. Blair, J.W. and Murphy, G.W., 1960. Electrochemical demineralization of water with porous electrodes of large surface area. American Chemical Society; p. 206–23. DOI: 10.1021/ba-1960-0027.ch020
52. Arnold, B.B. and Murphy, G.W., 1961. Studies on the electrochemistry of carbon and chemically-modified carbon surfaces. *The Journal of Physical Chemistry*, 65(1), pp.135-138
53. Porada, S., Zhao, R., Van Der Wal, A., Presser, V. and Biesheuvel, P.M., 2013. Review on the science and technology of water desalination by capacitive deionization. *Progress in materials science*, 58(8), pp.1388-1442. <https://doi.org/10.1016/j.pmatsci.2013.03.005>
54. Evans, S., Accomazzo, M.A. and Accomazzo, J.E., 1969. Electrochemically Controlled Ion Exchange: I. Mechanism. *Journal of the Electrochemical Society*, 116(2), p.307. <https://doi.org/10.1149/1.2411821>
55. Gamaethiralalage, J.G., Singh, K., Sahin, S., Yoon, J., Elimelech, M., Suss, M.E., Liang, P., Biesheuvel, P.M., Zornitta, R.L. and De Smet, L.C.P.M., 2021. Recent advances in ion selectivity with capacitive deionization. *Energy & Environmental Science*, 14(3), pp.1095-1120. <https://doi.org/10.1039/D0EE03145C>
56. Zhang, C., Ma, J., Wu, L., Sun, J., Wang, L., Li, T. and Waite, T.D., 2021. Flow electrode capacitive deionization (FCDI): recent developments, environmental applications, and future perspectives. *Environmental Science & Technology*, 55(8), pp.4243-4267. <https://doi.org/10.1021/acs.est.0c06552>

57. Angeles, A.T. and Lee, J., 2021. Carbon-Based Capacitive Deionization Electrodes: Development Techniques and its Influence on Electrode Properties. *The Chemical Record*, 21(4), pp.820-840. <https://doi.org/10.1002/tcr.202000182>
58. Murphy GW, Cooper JL, Hunter JA. 1969. Activated carbon used as electrodes in electrochemical demineralization of saline water. Washington: U.S. Dept. of the Interior
59. Reid, G.W., 1968. *Field operation of a 20 gallons per day pilot plant unit for electrochemical desalination of brackish water* (No. 293). US Department of the Interior.
60. Johnson, A.M. and Newman, J., 1971. Desalting by means of porous carbon electrodes. *Journal of the electrochemical society*, 118(3), p.510. <https://doi.org/10.1149/1.2408094>
61. Delgado, A.V., Jiménez, M.L., Iglesias, G.R. and Ahualli, S., 2019. Electrical double layers as ion reservoirs: applications to the deionization of solutions. *Current Opinion in Colloid & Interface Science*, 44, pp.72-84. <https://doi.org/10.1016/j.cocis.2019.09.003>
62. Pham, P., Howorth, M., Planat-Chrétien, A. and Tardu, S., 2007. Numerical simulation of the electrical double layer based on the poisson-boltzmann models for ac electroosmosis flows. In *Excerpt from the Proceedings of the COMSOL Users Conference 2007 Grenoble*.
63. Jia B, Zhang W. *Preparation and application of electrodes in capacitive deionization (CDI): a state-of-art review*. Jia and Zhang *Nanoscale Research Letters* (2016) 11:64 DOI 10.1186/s11671-016-1284-1.
64. Johnson, A.M. and Newman, J., 1971. Desalting by means of porous carbon electrodes. *Journal of the electrochemical society*, 118(3), p.510. <https://doi.org/10.1149/1.2408094>
65. Bockris JOM, Reddy AKN, *Modern Electrochemistry 2B: Electrodicts in Chemistry, Engineering, Biology and Environmental Science*. 2nd ed., Revised: Kluwer Academic Publishers 2000
66. Biesheuvel, P.M., Porada, S., Levi, M. and Bazant, M.Z., 2014. Attractive forces in microporous carbon electrodes for capacitive deionization. *Journal of solid state electrochemistry*, 18(5), pp.1365-1376
67. Elisadiki, J. and King'onde, C.K., 2020. Performance of ion intercalation materials in capacitive deionization/electrochemical deionization: A review. *Journal of Electroanalytical Chemistry*, 878, p.114588. <https://doi.org/10.1016/j.jelechem.2020.114588>

68. Cheng, Y., Hao, Z., Hao, C., Deng, Y., Li, X., Li, K. and Zhao, Y., 2019. A review of modification of carbon electrode material in capacitive deionization. *RSC advances*, 9(42), pp.24401-24419. <https://doi.org/10.1039/C9RA04426D>
69. Li, L., Zou, L., Song, H. and Morris, G., 2009. Ordered mesoporous carbons synthesized by a modified sol–gel process for electrosorptive removal of sodium chloride. *Carbon*, 47(3), pp.775-781. <https://doi.org/10.1016/j.carbon.2008.11.012>
70. Zou, L., Li, L., Song, H. and Morris, G., 2008. Using mesoporous carbon electrodes for brackish water desalination. *Water research*, 42(8-9), pp.2340-2348. <https://doi.org/10.1016/j.watres.2007.12.022>
71. Zou, L., Li, L., Song, H. and Morris, G., 2010. Improving the capacitive deionization performance by optimising pore structures of the electrodes. *Water Science and Technology*, 61(5), pp.1227-1233. <https://doi.org/10.2166/wst.2010.879>
72. Peigney, A., Laurent, C., Flahaut, E., Bacsá, R.R. and Rousset, A., 2001. Specific surface area of carbon nanotubes and bundles of carbon nanotubes. *Carbon*, 39(4), pp.507-514.
73. Li H, Zou L, Pan L, Sun Z (2010) Using graphene nano-flakes as electrodes to remove ferric ions by capacitive deionization. *Sep Purif Technol* 75(1):8–1
74. B. Chen, Y. Wang, Z. Chang, X. Wang, M. Li, X. Liu, L. Zhang, Y. Wu, enhanced capacitive desalination of MnO₂ by forming composite with multi-walled carbon nanotubes, *RSC Adv.* 6 (2016) 6730–6736, <https://doi.org/10.1039/c5ra26210k>.
75. Botha, E., Smith, N., Hlabano-Moyo, B. and Bladergroen, B., 2020. The effect of slurry wet mixing time, thermal treatment, and method of electrode preparation on membrane capacitive deionization performance. *Processes*, 9(1), p.1. <https://doi.org/10.3390/pr9010001>
76. Liu, Y.H., Hsi, H.C., Li, K.C. and Hou, C.H., 2016. Electrodeposited manganese dioxide/activated carbon composite as a high-performance electrode material for capacitive deionization. *ACS Sustainable Chemistry & Engineering*, 4(9), pp.4762-4770. <https://pubs.acs.org/doi/abs/10.1021/acssuschemeng.6b00974>
77. Selva, T.M.G., Selva, J.S.G. and Prata, R.B., 2021. Sensing Materials: Diamond-Based Materials.
78. Wang, L. and Lin, S., 2018. Membrane capacitive deionization with constant current vs constant voltage charging: which is better? *Environmental science & technology*, 52(7), pp.4051-4060. DOI: 10.1021/acs.est.7b06064

79. Dykstra, J.E., Porada, S., Van Der Wal, A. and Biesheuvel, P.M., 2018. Energy consumption in capacitive deionization—Constant current versus constant voltage operation. *Water research*, 143, pp.367-375. <https://doi.org/10.1016/j.watres.2018.06.034>
80. Kang, J., Kim, T., Jo, K. and Yoon, J., 2014. Comparison of salt adsorption capacity and energy consumption between constant current and constant voltage operation in capacitive deionization. *Desalination*, 352, pp.52-57. <https://doi.org/10.1016/j.desal.2014.08.009>
81. Oren, Y., 2008. Capacitive deionization (CDI) for desalination and water treatment—past, present and future (a review). *Desalination*, 228(1-3), pp.10-29. <https://doi.org/10.1016/j.desal.2007.08.005>
82. Welgemoed, T.J. and Schutte, C.F., 2005. Capacitive deionization technology™: an alternative desalination solution. *Desalination*, 183(1-3), pp.327-340. <https://doi.org/10.1016/j.desal.2005.02.054>
83. Choi, J.H., 2015. Comparison of constant voltage (CV) and constant current (CC) operation in the membrane capacitive deionization process. *Desalination and Water Treatment*, 56(4), pp.921-928. <https://doi.org/10.1080/19443994.2014.942379>
84. Kang, J., Kim, T., Jo, K. and Yoon, J., 2014. Comparison of salt adsorption capacity and energy consumption between constant current and constant voltage operation in capacitive deionization. *Desalination*, 352, pp.52-57. <https://doi.org/10.1016/j.desal.2014.08.009>
85. Suss, M.E., Porada, S., Sun, X., Biesheuvel, P.M., Yoon, J. and Presser, V., 2015. Water desalination via capacitive deionization: what is it and what can we expect from it? *Energy & Environmental Science*, 8(8), pp.2296-2319. DOI: 10.1039/c5ee00519a
86. Zhang, X., Zuo, K., Zhang, X., Zhang, C. and Liang, P., 2020. Selective ion separation by capacitive deionization (CDI) based technologies: a state-of-the-art review. *Environmental Science: Water Research & Technology*, 6(2), pp.243-257. <https://doi.org/10.1039/C9EW00835G>
87. Gabelich, C. J.; Tran, T. D.; Suffet, I. H. M. Electrosorption of inorganic salts from aqueous solution using carbon aerogels. *Environ. Sci. Technol.* 2002, 36, 3010–3019. <https://doi.org/10.1021/es0112745>
88. Chen, Z., Zhang, H., Wu, C., Wang, Y. and Li, W., 2015. A study of electrosorption selectivity of anions by activated carbon electrodes in capacitive deionization. *Desalination*, 369, pp.46-50. <http://dx.doi.org/10.1016/j.desal.2015.04.022>
89. Eliad, L., Salitra, G., Soffer, A. and Aurbach, D., 2001. Ion sieving effects in the electrical double layer of porous carbon electrodes: estimating effective ion size in electrolytic

- solutions. *The Journal of Physical Chemistry B*, 105(29), pp.6880-6887.
<https://doi.org/10.1021/jp010086y>
90. Hou, C.H. and Huang, C.Y., 2013. A comparative study of electrosorption selectivity of ions by activated carbon electrodes in capacitive deionization. *Desalination*, 314, pp.124-129. <https://doi.org/10.1016/j.desal.2012.12.029>
91. Mossad, M., Zhang, W. and Zou, L., 2013. Using capacitive deionization for inland brackish groundwater desalination in a remote location. *Desalination*, 308, pp.154-160. <https://doi.org/10.1016/j.desal.2012.05.021>
92. Seo, S.J., Jeon, H., Lee, J.K., Kim, G.Y., Park, D., Nojima, H., Lee, J. and Moon, S.H., 2010. Investigation on removal of hardness ions by capacitive deionization (CDI) for water softening applications. *Water research*, 44(7), pp.2267-2275. <https://doi.org/10.1016/j.watres.2009.10.020>
93. Han, L., Karthikeyan, K.G., Anderson, M.A. and Gregory, K.B., 2014. Exploring the impact of pore size distribution on the performance of carbon electrodes for capacitive deionization. *Journal of colloid and interface science*, 430, pp.93-99. <https://doi.org/10.1016/j.jcis.2014.05.015>
94. Hawks, S.A., Cerón, M.R., Oyarzun, D.I., Pham, T.A., Zhan, C., Loeb, C.K., Mew, D., Deinhart, A., Wood, B.C., Santiago, J.G. and Stadermann, M., 2019. Using ultramicroporous carbon for the selective removal of nitrate with capacitive deionization. *Environmental Science & Technology*, 53(18), pp.10863-10870. <https://doi.org/10.1021/acs.est.9b01374>
95. Hassanvand, A., Chen, G.Q., Webley, P.A. and Kentish, S.E., 2018. A comparison of multicomponent electrosorption in capacitive deionization and membrane capacitive deionization. *Water research*, 131, pp.100-109. <https://doi.org/10.1016/j.watres.2017.12.015>
96. Zhao, R., Soestbergen, M.V., Rijnaarts, H.H.M. and Wal, A., 2012. Van Der; Bazant, MZ; Biesheuvel, PM Time-Dependent Ion Selectivity in Capacitive Charging of Porous Electrodes. *J. Colloid Interface Sci*, 384(1), pp.38-44
97. Mossad, M. and Zou, L., 2012. A study of the capacitive deionization performance under various operational conditions. *Journal of hazardous materials*, 213, pp.491-497. <https://doi.org/10.1016/j.jhazmat.2012.02.036>
98. Xu, P., Drewes, J.E., Heil, D. and Wang, G., 2008. Treatment of brackish produced water using carbon aerogel-based capacitive deionization technology. *Water research*, 42(10-11), pp.2605-2617. <https://doi.org/10.1016/j.watres.2008.01.011>

99. Li, Y., Zhang, C., Jiang, Y., Wang, T.J. and Wang, H., 2016. Effects of the hydration ratio on the electrosorption selectivity of ions during capacitive deionization. *Desalination*, 399, pp.171-177. <https://doi.org/10.1016/j.desal.2016.09.011>
100. Gao, Y., Pan, L., Li, H., Zhang, Y., Zhang, Z., Chen, Y. and Sun, Z., 2009. Electrosorption behavior of cations with carbon nanotubes and carbon nanofibres composite film electrodes. *Thin Solid Films*, 517(5), pp.1616-1619
101. Kalluri, R.K., Biener, M.M., Suss, M.E., Merrill, M.D., Stadermann, M., Santiago, J.G., Baumann, T.F., Biener, J. and Striolo, A., 2013. Unraveling the potential and pore-size dependent capacitance of slit-shaped graphitic carbon pores in aqueous electrolytes. *Physical Chemistry Chemical Physics*, 15(7), pp.2309-2320. <https://doi.org/10.1039/C2CP43361C>
102. Yoon, H., Lee, J., Kim, S.R., Kang, J., Kim, S., Kim, C. and Yoon, J., 2016. Capacitive deionization with Ca-alginate coated-carbon electrode for hardness control. *Desalination*, 392, pp.46-53. <https://doi.org/10.1016/j.desal.2016.03.019>
103. Kim, J., Jain, A., Zuo, K., Verduzco, R., Walker, S., Elimelech, M., Zhang, Z., Zhang, X. and Li, Q., 2019. Removal of calcium ions from water by selective electrosorption using target-ion specific nanocomposite electrode. *Water research*, 160, pp.445-453. <https://doi.org/10.1016/j.watres.2019.05.016>
104. Zafra, M.C., Lavela, P., Macías, C., Rasines, G. and Tirado, J.L., 2013. Electrosorption of environmental concerning anions on a highly porous carbon aerogel. *Journal of Electroanalytical Chemistry*, 708, pp.80-86. <https://doi.org/10.1016/j.jelechem.2013.09.020>
105. Sun, Z., Chai, L., Liu, M., Shu, Y., Li, Q., Wang, Y. and Qiu, D., 2018. Effect of the electronegativity on the electrosorption selectivity of anions during capacitive deionization. *Chemosphere*, 195, pp.282-290. <https://doi.org/10.1016/j.chemosphere.2017.12.031>
106. Nkuna, S., 2017. Development of capacitive deionisation electrodes: optimization of fabrication methods and composition. (University of the Western Cape, Thesis)
107. Verma, S.K., 2019. *Engineered Nanomaterials and Phytonanotechnology: Challenges for Plant Sustainability* (Vol. 87). Elsevier.
108. Altawell, N., 2021. *Introduction to Machine Olfaction Devices*. Elsevier. Pg. 146
109. Nasrollahzadeh, M., Atarod, M., Sajjadi, M., Sajadi, S.M. and Issaabadi, Z., 2019. Plant-mediated green synthesis of nanostructures: mechanisms, characterization, and applications. In *Interface science and technology* (Vol. 28, pp. 199-322). Elsevier. <https://doi.org/10.1016/B978-0-12-813586-0.00006-7>

110. Jaroniec, M., Kruk, M. and Sayari, A., 1998. Adsorption methods for characterization of surface and structural properties of mesoporous molecular sieves. In *Studies in Surface Science and Catalysis* (Vol. 117, pp. 325-332). Elsevier
111. Holbrook, R.D., Galyean, A.A., Gorham, J.M., Herzing, A. and Pettibone, J., 2015. Overview of nanomaterial characterization and metrology. In *Frontiers of Nanoscience* (Vol. 8, pp. 47-87). Elsevier. <https://doi.org/10.1016/B978-0-08-099948-7.00002-6>
112. Pourhakkak, P., Taghizadeh, A., Taghizadeh, M., Ghaedi, M. and Haghdoost, S., 2021. Fundamentals of adsorption technology. In *Interface Science and Technology* (Vol. 33, pp. 1-70). Elsevier. <https://doi.org/10.1016/B978-0-12-818805-7.00001-1>
113. A. Helmenstine, "Table of Electrical Resistivity and Conductivity", 2019. <https://sciencenotes.org/table-of-electrical-resistivity-and-conductivity/>,
114. Hebbar, R.S., Isloor, A.M. and Ismail, A.F., 2017. Contact angle measurements. In *Membrane characterization* (pp. 219-255). Elsevier. <https://doi.org/10.1016/B978-0-444-63776-5.00012-7>
115. Smith, N. Development of capacitive deionization electrodes: optimization of fabrication methods and composition. (2019)
116. Ghosh, S., Prasanna, V.L., Sowjanya, B., Srivani, P., Alagaraja, M. and Banji, D., 2013. Inductively coupled plasma–optical emission spectroscopy: a review. *Asian J. Pharm. Ana*, 3(1), pp.24-33
117. Haddad, P.R., Nesterenko, P.N. and Buchberger, W., 2008. Recent developments and emerging directions in ion chromatography. *Journal of Chromatography A*, 1184(1-2), pp.456-473. <https://doi.org/10.1016/j.chroma.2007.10.022>
118. Zhao, R., Satpradit, O., Rijnaarts, H.H.M., Biesheuvel, P.M. and Van der Wal, A., 2013. Optimization of salt adsorption rate in membrane capacitive deionization. *Water research*, 47(5), pp.1941-1952. <https://doi.org/10.1016/j.watres.2013.01.025>
119. Kim, T. and Yoon, J., 2015. CDI ragone plot as a functional tool to evaluate desalination performance in capacitive deionization. *RSC advances*, 5(2), pp.1456-1461. <https://doi.org/10.1039/C4RA11257A>
120. Brousse, T., Toupin, M., Dugas, R., Athouel, L., Crosnier, O. and Belanger, D., 2006. Crystalline MnO₂ as possible alternatives to amorphous compounds in electrochemical supercapacitors. *Journal of the Electrochemical Society*, 153(12), p.A2171. <https://doi.org/10.1149/1.2352197>

121. Wang, G., Zhang, L. and Zhang, J., 2012. A review of electrode materials for electrochemical supercapacitors. *Chemical Society Reviews*, 41(2), pp.797-828. <https://doi.org/10.1039/C1CS15060J>
122. Si-Heng, L.I., Qing-He, L.I.U., Li, Q.I., Le-Hui, L.U. and Hong-Yu, W.A.N.G., 2012. Progress in research on manganese dioxide electrode materials for electrochemical capacitors. *Chinese Journal of Analytical Chemistry*, 40(3), pp.339-346. [https://doi.org/10.1016/S1872-2040\(11\)60534-3](https://doi.org/10.1016/S1872-2040(11)60534-3)
123. Lado JJ, Perez-Roa RE, Wouters JJ, Tejedor-Tejedor MI, Federspill C and Anderson MA (2015) Continuous cycling of an asymmetric capacitive deionization system: An evaluation of the electrode performance and stability. *Journal of Environmental Chemical Engineering* 3 2358-2367
- Chen, J., Liu, J., Qi, Y., Sun, T. and Li, X., 2013. Unveiling the roles of binder in the mechanical integrity of electrodes for lithium-ion batteries. *Journal of The Electrochemical Society*, 160(9), p.A1502
124. Chen, J., Liu, J., Qi, Y., Sun, T. and Li, X., 2013. Unveiling the roles of binder in the mechanical integrity of electrodes for lithium-ion batteries. *Journal of The Electrochemical Society*, 160(9), p.A1502
125. Jeon, J.; Yoo, J.-K.; Yim, S.; Jeon, K.; Lee, G.H.; Yun, J.H.; Kim, D.K.; Jung, Y.S. Natural-Wood-Derived Lignosulfonate Ionomer as Multifunctional Binder for High-Performance Lithium–Sulfur Battery. *ACS Sustain. Chem. Eng.* 2019, 7, 17580–17586
126. Hong, X.; Jin, J.; Wen, Z.; Zhang, S.; Wang, Q.; Shen, C.; Rui, K. On the Dispersion of Lithium-Sulfur Battery Cathode Materials Effected by Electrostatic and Stereo-Chemical Factors of Binders. *J. Power Source* 2016, 324, 455–461
127. Chen, H.; Ling, M.; Hencz, L.; Ling, H.Y.; Li, G.; Lin, Z.; Liu, G.; Zhang, S. Exploring Chemical, Mechanical, and Electrical Functionalities of Binders for Advanced Energy-Storage Devices. *Chem. Rev.* 2018, 118, 8936–8982
128. Hwa, Y.; Frischmann, P.D.; Helms, B.A.; Cairns, E.J. Aqueous-Processable Redox-Active Supramolecular Polymer Binders for Advanced Lithium/Sulfur Cells. *Chem. Mater.* 2018, 30, 685–691
129. Loeffler, N.; Kopel, T.; Kim, G.-T.; Passerini, S. Polyurethane Binder for Aqueous Processing of Li-Ion Battery Electrodes. *J. Electrochem. Soc.* 2015, 162, A2692–A2698
130. Zhang, G.; Qiu, B.; Xia, Y.; Wang, X.; Gu, Q.; Jiang, Y.; He, Z.; Liu, Z. Double-Helix-Superstructure Aqueous Binder to Boost Excellent Electrochemical Performance in Li-Rich Layered Oxide Cathode. *J. Power Source* 2019, 420, 29–37

131. Sing, K.S., 1985. Reporting physisorption data for gas/solid systems with special reference to the determination of surface area and porosity (Recommendations 1984). *Pure and applied chemistry*, 57(4), pp.603-619
132. Wang, C., Bongard, H.J., Weidenthaler, C., Wu, Y. and Schüth, F., 2022. Design and Application of a High-Surface-Area Mesoporous δ -MnO₂ Electrocatalyst for Biomass Oxidative Valorization. *Chemistry of Materials*, 34(7), pp.3123-3132. <https://doi.org/10.1021/acs.chemmater.1c04223>
133. Thommes, M., Kaneko, K., Neimark, A.V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J. and Sing, K.S., 2015. Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and applied chemistry*, 87(9-10), pp.1051-1069.
134. Wang, J.G., 2016. Engineering Nanostructured MnO₂ for High Performance Supercapacitors. *Supercapacitor Design and Applications*.
135. Alencherry, T., Naveen, A.R., Ghosh, S., Daniel, J. and Venkataraghavan, R., 2017. Effect of increasing electrical conductivity and hydrophilicity on the electrosorption capacity of activated carbon electrodes for capacitive deionization. *Desalination*, 415, pp.14-19.
136. B. Jia, L. Zou, Wettability and its influence on graphene nanoheets as electrode material for capacitive deionization, *Chem. Phys. Lett.* 548 (2012) 23–28



UNIVERSITY of the
WESTERN CAPE



UNIVERSITY *of the*
WESTERN CAPE