

Begg, P.R. (1954) Stone age man's dentition. Am. J. Orthod. 40:298-312, 373-383, 462-475, 517-531

Bishara, S.E., Hession, T.J., and Peterson, L.C. (1985) Longitudinal soft-tissue changes: A study of three analyses. Am. J. Orthod. 88: 209-223

Brook, P.H. and Shaw, W.C. (1989) The development of an index of orthodontic treatment priority Scan Index. Eur. J. Orthod. 11: 309-320.

Carpenter, R. (1959) The Esthetic Basis of Greek Art. Bloomington, Indiana University Press. pp. 92-93 (Cited in Peck, H. and Peck, S. (1970) A Concept of Facial Esthetics. Angle Orthod. 40(4): 284-318).

Chikte, U.M.E., Glibert, L., Brand, A.A. and Lewis, H.A. (1990) Racial classification in the dental literature: is it always necessary J. Dent. Assoc. South Africa. 44:337-339

Cape City Council (1992) : Personal communication with Mitchells Plain Advice Office Personnel.

Census 1985 : Central statistical series report 02-85-04 Republic South Africa Government Printers.

Cohen, L.K. (1970) Social Psychological factors associated with malocclusion. 20(4): 643-653

Cohen, L.K., and Horowitz, H.S. (1970) Occlusal Relations in Children Born and Reared in an Optimally Fluoridated Community. Angle Orthodont. 40 (3): 59-169.

Cons, N.C., Mruthyunjaya, Y.C., and Pollard, S.T. (1978) Distribution of occlusal traits in 1337 children aged 15-18 residing in upstate New York. Int. Dent. J. 28(2): 154-164.

Cons, N.C., Jenny, J, and Kouhout, F.J. (1983) Perceptions of occlusal conditions in Australia, the German Federal Republic and the United States of America. Int. Dent. J. 33(2):200-206

Dempster, W.T., Adams, W.J. and Duddles, R.A. (1963) Arrangement in the jaws of the roots of the teeth. J. Am. Dent. Assoc. 67: 779-797

Dennington, R.J. and Korabik (1977) Self concept changes in orthodontic patients during the initial treatment. Am. J. Orthod., 72(4): 46

Department of Health (1993): Personal communication.

Department of Orthodontics University of the Western Cape. (1992): Personal communication.

Dion S.(1968) Physical attractiveness and interpersonal experiences. J. Exp. Soc. Psychol:14 97-108.

Dorland Medical Dictionary (1974) Ed. Friel J.D., 25th Edition. W.B. Saunders Co.

Downs, W.B. (1948) Variations in facial relationships: their significance in treatment and prognosis. Am. J. Orthod. 34: 812-840

Draker, H.L. (1960) Handicapping Labio-lingual deviations: a proposed index for public health purposes. Am. J. Orthod, 46: 295-305.

Evans, R. and Shaw, E. (1987) Preliminary evaluation of an illustrated scale for rating dental. Eur. Jnl. Orthod. 9: 314-318.

Ferguson, M. (1988) The prevalence of occlusal traits in a Western Cape Population. M.Ch.D. Thesis University of the Western Cape

Foster T.D. and Mendez D.M. (1976) The assesment of occlusal features for public health planning purposes. Am. J. Orthod.69: 83-89

Freer, T.J. (1968) Interrelationships of attributes of malocclusion. Dept. Dent., Univ. Queensland, 20: 586-592. (Cited by Freer, T.J. (1968) Interrelationships of attributes of malocclusion Int. Dent. J. 20: 586-592.)

Freer, T. J. (1968) Interrelationships of attributes of malocclusion. Int. Dent. J. 20: 586-592.

Giddion, D.B. and Hershon, L.E. (1974) Discrepancies between objective and subjective profile measurements. Scand. J. Dent. Res. 82:527-535

Goldman, S. (1959) The variation in skeletal and denture patterns in excellent facial types. Angle Orthod. 29:63-92



Goldstein, R.E. (1969) Study for need for aesthetics in dentistry. J. Prosth. Dent. 21: 589-598.

Graber, L.W. and Lucker, G.W. (1980) Dental aesthetic evaluation and satisfaction. Am. J. Orthod. 77: 163-173

Grainger, R.M. (1967) Orthodontic Treatment Priority Index. Public Health Services Publication No. 1000 series 2, No. 25. Government Printing Office, Washington D.C.

Gravely, J.F. (1990) A study of need and demand for orthodontic treatment in two contrasting National Health service regions. Brit. J. Orthod. 17: 287-292

Grewe, J.M. and Hagan, D.V. (1972) Malocclusion indices: A comparative evaluation. Am. J. Orthod. 61: 286-294

Heikenheimo, K.; Salmi, K. and Pirinen (1992) A 10 grade-scale for treatment priority. Eur. Orthod. J. 14 (4):319

Hellman, M. (1921) Variation in occlusion Dental Cosmos. 43: 608-619

Hellman, M. (1927) Changes in the human face brought about by development. Int. J. Orthod. 13: 475-516

Helm S., Petersen P.E., Kreiborg S and Solow B.(1986) Effect of separate malocclusion traits on concern for dental appearance. Comm. Dent. Oral Epid. 14:217-220

Holmes, A. (1992) The subjective need and demand for orthodontic treatment. Brit. J. Orthod. 19: 287-297.

Jago, D.J. (1974) The epidemiology of dental occlusion. A critical appraisal. J. Pub. Health. Dent. 34: 80-93.

Johnson, A.L. (1923) Basic principles of orthodontia. Dental Cosmos. 65: 379-389, 503-518, 596-605, 845-861, 957-968

Jenny, J., Cons, N.C. and Kohout, F.J. (1980) Test of a method to determine socially acceptable occlusal conditions. Comm. Dent. Oral Epid. 8: 424-433.

Katz, R.V. (1978) Relationships between eight orthodontic indices and an oral self-image. Am. J. Orthod, 73 (3): 328-334.

Kiyak, H.A. (1981) Comparison of esthetic values among Caucasians and Pacific-Asians. Comm. Dent. Oral Epidemiol. 9: 219-223.

Korkhaus, G. (1928) The frequency of orthodontic anomalies at various ages. Int. J. O. Surg. and Radiol. 14: 120-135

Lewis, E.A., Albino, J.E. Cunate J. and Tedesco L.A. (1982) Reliability and validity of clinical assessments of malocclusion. Am. J. Orthod. 81(6):473-477

Lombardi, A.V. (1982) The adaptive value of dental crowding: A consideration of the biological basis of malocclusion. Am. J. Orthod. 81 :38-42

Levin, E.I. (1978) Dental aesthetics and the golden proportion. J. Prost. Dent. 40 :244-252.

Lombardi, A.V. and Bailit, H.L. (1972) Malocclusion in the Kwaio, a Melanesian group on Mallaita, Solomon Islands. Am. J. Phys. Anthropol. 36: 283-283

Lucker, G.W. (1980) Esthetics and a quantitative analysis of facial appearance. Psychological Aspects of Facial Form. Monograph 11, Craniofacial Growth Series Center of Human Growth and Development. The University of Michigan. Ann Arbor, Michigan: Edited by Lucker, G.W., Ribbens, K.K. and McNamara Jr., J.A. pp 49-79

Lundeen, H.C. and Gibbs, H.C. (1982) Advances in occlusion. Postgraduate Dental Hand-book series J.B Lippincott Co. Philadelphia. Vol 14. p 51

Lusterman, E.A. (1963) The aesthetics of the occidental face; a study of dentofacial morphology based on anthropologic criteria. Am. J. Orthod. 49: 826-850.

Massler, M. and Frankel, J.M. (1951) Prevalence of malocclusion in children aged 14 to 18 years. Am. J. Orthod. 37: 751-768

Maxwell, G.H. (1937) A biological-mathematical formula for an occlusion. J. Am. Dent. Association and Dental Cosmos 24: 238-256.

McCall, M.C. (1944) A study of malocclusion in preschool and school children. Dental Items Interest. 65: 131

McLain, L. and Proffit, W. (1985) Oral health status in the United States: Prevalence of malocclusion. J. Dent. Educ. 49:386-396

Merrifield, L. (1966) The profile line as an aid in critically evaluating facial esthetics. Am. J. Orthod. 52 (11): 804-822.

Moore, G.R. (1948) The orthodontic program of the Michigan State Department of Health with a new classification for survey purposes. Am. J. Orthod. 34:355-361

Neger, M. (1959) A Quantitative method for the evaluation of the soft tissue profile. Am. J. Orthod. 45: 738-751

Papalia, D.E. and Olds, S.W. (1992) Human Development.
2nd Ed. Mc Graw- Hill, New York

Peck, H. and Peck, S. (1970) A Concept of Facial
Esthetics. Angle Orthod. 40 (4): 284-318.

Pepper, J.C. (1974) "Aesthetics" Encyclopedia
Britannica Macropedia. Vol I pp 149-162

Pitt, E.J. and Korabik, K. (1977) The relationship
between self-concept and profile self perception. Am.
J. Orthod. 72(4): 459-460.

Popovich, F. and Thompson, G.W.A. (1971) The
longitudinal comparison of the orthodontic treatment
priority index and the subjective appraisal of
orthodontics. J. Public Health Dent. 31 :2-8

Population Registration Act 30 of 1950. Republic South
Africa Government Gazzette. Government Printers
Pretoria.

Powell, S.J. and Rayson, R.K. (1976) The Profile in
facial aesthetics. Br. J. Orthod. 13(4): 207-215.

Prahl-Andersen, B. (1975) Objective and subjective need for orthodontic treatment Studieweek Nederlandse Vereniging van Orthodontische studie. (Cited by Shaw, W.C., O'Brian, K. and Richmond S. (1991) Quality control in orthodontics: Factors influencing the receipt of orthodontic treatment : Brit. Dent. J. 18(11): 66-68)

Prahl-Andersen, B. and Moore, A.W. (1980) Determining orthodontic treatment needs : a decision model. Int. Dent J. 54: 94-109

Proffit, W.R., Fields, H.W., Ackerman, J.L. Thomas, P.M. and Camilla Tulloch, J.F. (1986) Contemporary Orthodontics. 1st Ed. C.V. Mosby Co., St Louis pp 2-15

Proffit, W.R.; Fields, H.W.; Ackerman, J.L.; Thomas, P.M. and Camilla Tulloch, J.F. (1992) Contemporary Orthodontics. 2nd Ed. C.V. Mosby Co., St Louis pp 2-16

Ramfjord, S. and Ash, M. (1963) Occlusion. 3rd ed. W.B. Saunders Co. Toronto. pp. 3, 166-168

Richardson, E.R. (1980) Racial differences in dimensional traits of the human face. Angle Orthod. 50:(4): 301-311.

Ricketts. J. (1982) The biological significance of the divine proportion and Fibonacci series. Am J. Orthod. 81(5):351-370

Root, W.R. (1949) Face Value. Am. J. Orthod. 35:697-703

Salzmann, J.A. (1966) Practice of Orthodontics. J.B Lippincott Co. pp 193-196

Salzmann, J.A. (1968) Handicapping malocclusion assessment to establish treatment priority. Am. J. of Orthod. 54: 749-765.

Salzmann, J.A. (1970) Treatment Priority Index of Malocclusion. J. Dent. Res. 20(4): 618-630.

Salzmann, J.A. (1974) Practice of Orthodontics. J.B Lippincott Co. Philadelphia. pp 43-49

Samsodien, M.G. (1986) A Photometric Soft-Tissue profile Assessment. M.Ch.D. Thesis University of the Western Cape.

Sclare, R. (1945) Orthodontics and the school child. Brit. Dent. J. 79: 278-280


Secord, P.F. and Backman, C.W. (1959) Malocclusion and psychological factors. J. Am. Dent. Assoc. 59: 635-643.

Shaw, W.C. and Robertson, N.R. (1975) Perception of Malocclusion, Br. J. Orthod., 138: 211-216.

Shaw, W.C.; Grabe, M.J. and Jones, B.M. (1979) The expectations of orthodontic patients in South Wales and St. Louis. Brit. J. Orthod. 6: 203-205.

Shaw, W.C. (1981) Factors influencing the desire for orthodontic treatment. Eur. J Orthod. 3 : 151-162

Shaw, W.C., O'Brian, K. and Richmond S. (1991) Quality control in orthodontics: Factors influencing the receipt of orthodontic treatment. Brit. Dent. J. 18(11):66-68



UNIVERSITY of the

WESTERN CAPE

Simon, P.W. (1926) Fundamental principles of a systematic diagnosis of dental anomalies (Translated by Lischer, B.E.), Boston Stratford Co. (cited by Ackerman, J.L. and Proffit, W.R. (1969) The characteristics of malocclusion; a modern approach to classification and diagnosis. Am. J. Orthod. 52: 443-454).

Stoller, A.E. (1954) The normal position of the maxillary first permanent molar. Am. J. Orthod. 41:258-271

Stricker, G. (1970) Psychological issues pertaining to malocclusion. Am. J. Orthodont. 58(3): 276-283.

Stricker, G.E., Clifford, E., Cohen, L.K., Giddon, D.B., Meskin, L.H. and Evans, C.A. (1979) Psychological aspects of craniofacial disfigurement: A "State of the Art" assessment conducted by the Craniofacial Anomalies Program Branch, National Institute of Dental Research. Am. J. Orthod. 76: 410-422.

Summers, C.J. (1971) The occlusal index: A system for identifying and scoring occlusal Am. J. Orthod., 59 (6): 552-566.

The Shorter Oxford Dictionary (1970) 3rd Ed. Oxford University Press, London

Tedesco, L.A. and Albino, J.E. (1983) A dental-facial attractiveness scale: Part 1. Reliability and validity. Am. J.Ortho. 83: 38-46.

Thompson, H. (1975) Occlusion. John Wright and Sons Ltd. Bristol. pp 1-9, 23-28

Tobiasen, J.M. (1984) Psychological consideration of congenital facial clefts: Conceptualization and model. Cleft Palate J. 21: 131-139

Tulloch, J., Shaw, W.C. and Smith, A. (1984) A comparison of attitudes toward orthodontic treatment in British and American communities. Am. J. Orthod. 85 (3):253-259.

Tweed, C.H. (1936) The application of the principles of the edgewise treatment of Class II div 1 Malocclusion. Part II. A discussion of extraction in marked double protrusion cases. Angle Orthod. 6:255-260

Tweed, C.H. (1944) Indications for extraction of teeth in the orthodontic procedure. Am. J. Orthod. 30: 405-428

Tweed, C.H. (1953) Evolutionary trends in orthodontics, past, present and future. Am. J. Orthod. 39: 81-108

Tweed, C.H. (1954) Frankfort Mandibular Incisal Angle (FMIA) in diagnosis, treatment planning and prognosis. Angle Orthod. 24: 121-169

Van Kirk, L.E. & Pennell, E.H. (1959) Assessment of Malocclusion in Population Groups. Am. J. Orthod. 45: 752-758

Van Reenen, J.F (1978) Tooth mutilation amongst the peoples of Kavango and Bushmenland, South West Africa J. Dent. Ass. South Africa. 33: 205-280

Van Reenen, J.F (1985) Tooth mutilation amongst the Damara of South West Africa. J. Dent. Ass. South Africa. 40: 537-539

Weiss, J. and Eiser, H.M. (1977) Psychological timing of orthodontic treatment. Am. J. Orthod. 72: 198-204.

Williams, A.C. and Stephens, C.D. (1992) A modification of the incisal classification of malocclusion. Brit. J. Orthod. 19: 127-130

World Health Organization (1962) Standardization of reporting of dental diseases and conditions. The assessment of handicapping dentofacial anomalies. Technical Report Series, No 242. Geneva, World Health Organization.

Wuerpel, E.H. (1937) On Facial Balance and Harmony Angle Orthod. 7: 81-89.