

74. C.R Raymond, P. J. Sheskey, E Marian. E Quinn, (2009). Adipic Acid, Handbook of Pharmaceutical Excipients (Rowe, Handbook of Pharmaceutical Excipients), 6th edition, Pharmaceutical (2009) 11–12. International Standard Book Number (ISBN) 0-85369-792-2

75. R. Remminghorst, (2009). Microbial Production of Alginate, biosynthesis and Applications. Microbial Production of Biopolymers and Polymer Precursors. Caister Academic Press. International Standard Book Number (ISBN) 978-1-904455-36-3.

76. Government standards for s of the American Pharmaceutical Association, 12 (12) (1923) t identifier
(DOI):10.1002/jps.3080121.



77. Xu. Wang, (2012). Development of low cost polysulfone based anion exchange membranes and non-platinum oxygen reduction catalysts for fuel cell application. PHD Thesis (2012) School of chemical engineering and material of Newcastle University, June 2012.


78. A. Cimen, M. Ersoz and S.Yildiz, (2006). Electrochemical characterization of polysulfone membranes with different valence salt solutions. Desalination 194 (2006) 202-210.

79. I Gamry, (2010). Application note. Basic of electrochemical impedance spectroscopy.
Revised number.1.0.9/3/2010 1990-2009 gamry instrument, Inc.

80. A. Canas. M.J. Ariza, and J.Benavente, (2001). Characterization of active and porous sublayers of a composite reverse osmosis membrane by impedance spectroscopy. Journal of membrane Science 183 (2001) 135-146.

81. A.F. Ismail and P. Y. Lai, (2004). Development of defect-free asymmetric polysulfone membranes for gas separation using response surface methodology. Separation and purification technology 40 (2004) 191-207.


82. J.A. Jansen, (2001). Failure analysis of a polysulfone flow sensor body a case study. Practical failure 1(2) (2001).



83. P.M.S Monk, (2001). Fundamentals of electroanalytical chemistry. Newyork, USA:
John Willey & Sons, (2001) 158-159.

84. E.Yeager and R.W. Zurilla. Rotating disk and ring disc techniques, Accession
Number: AD0694951. Online available <http://www.dtic.mil/docs/citations/AD0694951>.
[Accessed July 2013].

85. A.D. Williams and P.J. Floy, (2003). Analysis of the random configuration of the polycarbonate of diphenylol-2,2'-propane. *Journal of Polymer Science Part A-2: Polymer Physics* 6(12) (2003) 1945–1952. Direct Object identifier (DOI): 10.1002/pol.1968.160061201
86. H.L. Gasparotto, J.F. Gomes and G. Tremiliosi-Filho, (2012). Electrochemical Characteristics of Poly(vinyl pyrrolidone) and Poly(vinyl alcohol) on Single-Crystal Pt Surfaces in Acidic Medium. *ECS Trans.* 43 (1) (2012) 259-266. Direct object identifier DOI: 10.1149/1.4704967.
87. S. Sampath, N. A Choudhury and A K Shukla, (2009). Hydrogel membrane electrolyte for electrochemical capacitors. *Journal of chemical science.* 121 (5) (2009) 727–734. © Indian Academy of Sciences. 727.
88. H. Hou, F. Vacandio, M.L Di Vona, and P. Knauth, (2012). Electropolymerization of sulfonated phenol by cyclic voltammetry. *Journal of Applied Polymer Science* 129 (3) (2013) 1151-1156. Direct object identifier (DOI): 10.1002/app.39074.
89. H. Hou, F. Vacandio, M.L Di Vona, and P. Knauth, (2013). Electropolymerization of sulfonated phenol by cyclic voltammetry. *Journal of Applied Polymer Science* 129 (3) (2013) 1151–1156.



90. J.A. Koehler, M. Ulbricht, G. Belfort, (2000). Intermolecular forces between a protein and a hydrophilic modified polysulfone film with relevance to filtration. *Langmuir* 16 (2000) 10419–10427.
91. H. Susanto, and M. Ulbricht, (2009). Characteristics, performance and stability of polyethersulfone ultrafiltration membranes prepared by phase separation method using different macromolecular additives. *Journal of membrane science*. 327 (2009) 125–135.
92. H.T. Yeo, S.T. Lee, and M.J. Han, (2000). Role of polymer additive in casting solution in preparation of phase inversion polysulfone membranes. *Journal of chemical engineering. Japan*. 33 (2000) 180–185.
93. M.J. Han, and S.T. Nam, (2002). Thermodynamic and rheological variation in polysulfone solution by PVP and its effect in the preparation of phase inversion membrane. *Journal of membrane science*. 202 (2002) 55–61.
94. B. Chakrabarty, A.K. Ghoshal, and M.K. Purkait, (2008). Preparation, characterization and performance studies of polysulfone membranes using PVP as an additive. *Journal of membrane science*. 315 (2008) 36–47.
95. J.H. Kim, and K.H. Lee, (1998). Effect of PEG additive on membrane formation by phase inversion. *Journal of membrane science*. 138 (1998) 153–163.

96. A.K.G Chakrabarty, M.K. Purkait, (2008). Effect of molecular weight of PEG on membrane morphology and transport properties. *Journal of membrane science*. 309 (2008) 209–221.
97. Y.N. Yang, and H.X. Zhang, (2007). The influence of nano-sized TiO₂ fillers on the morphologies and properties of PSF UF membrane. *Journal of membrane science*. 288 (2007) 231–238.
98. J.H. Choi, J. Jegal, and W.N. Kim, (2006). Fabrication and characterization of multiwalled carbon nanotubes/polymer blend membranes. *Journal of membrane science*. 284 (2006) 406–415.
99. S. Qiu, L.G. Wu, X.J. Pan, L. Zhang, H.L. Chen, and C.J. Gao, (2009). Preparation and properties of functionalized carbon nanotube/PSF blend ultrafiltration membranes. *Journal of membrane science*. 342 (2009) 165–172.
100. Z.F. Fan, Z. Wang, N. Sun, J.X. Wang, and S.C. Wang, (2008). Performance improvement of polysulfone ultrafiltration membrane by blending with polyaniline nanofibers. *Journal of membrane science*. 320 (2008) 363–371.



UNIVERSITY of the
WESTERN CAPE

- 101.M. Homayoonfal, and A. Akbari, (2010). Preparation of Polysulfone Nano-Structured Membrane for Sulphate Ions Removal from Water. Journal of environmental. Health. Science. Engineering. 7(5) (2010) 407-412.
- 102.S. Rafiq, Z. Man, S. Maitra, A. Maulud, F. Ahmad, and N. Muhammad, (2011). Preparation of asymmetric polysulfone/polyimide blended membranes for CO₂ separation. Journal of chemical engineering 28 (10) (2011) 2050-2056.
- 103.D. Parker, J. Bussink, HT. van de Grampel, GW. Wheatley, E. Dorf, E. Ostlinning, and K. Reinking, (2002). Polymers, High-Temperature in Ullmann's Encyclopedia of Industrial Chemistry. Direct object identifier (DOI):10.1002/14356007.a21_449
- 104.H. Grützmacher, and C. M. Marchand, (1997). Heteroatom stabilized carbenium ions. Coordination Chemistry Reviews, 163 (1997) 287-344. Direct object identifier (DOI):10.1016/S0010-8545(97)00043
- 105.A. Canas. M.J.Ariza, and J.Benavente, (2001). Characterization of active and porous sublayers of a composite reverse osmosis membrane by impedance spectroscopy. Journal of membrane Science 183 (2001) 135-146. 2000.
- 106.E Karen, S. Buller, and R.W. De Doncker, (2000). A method for measurement and Interpretation of impedance spectra for industrial batteries. Journal of Power Sources. 85 (1) (2000) 72-78.

- 107.R.O. Akinyeye, (2007). Nanostructured Polypyrrole impedimetric sensors for anthropogenic organic pollutants. PHD thesis 2007. University of the Western Cape: Cape Town, page 271.
- 108.T.C Girija, and M.V. Sangaranarayanan, (2006). Analysis of polyaniline-based nickel electrodes for electrochemical supercapacitors. *Journal of Power Sources*. 156 (2) (2006) 705-711.
- 109.F. Miao, B. Tao, P. Ci, J. Shi, L. Wang, and P.K. Chu, (2009). 3D ordered NiO/silicon MCP array electrode materials for electrochemical supercapacitors. *Materials Research Bulletin* 44(9) (2009) 1920-1925.

