

# **Encapsulating of humic acid in hydrogel matrix for the complexation of heavy metals in aqueous solutions**

---



**UNIVERSITY of the  
WESTERN CAPE**

By

**Rabelani Leonard Sithi**

This thesis is submitted in fulfillment of the requirements for the degree of Masters in science to the department of chemistry, SensorLab University of the Western Cape

Supervised: Prof Priscilla Baker

Co-supervised: Dr Francis Muya



























































































































































































































































- Interact. with Mater. Atoms. 254 (2007) 153–159. <https://doi.org/10.1016/j.nimb.2006.09.018>.
- [12] Z. Üstündağ, I. Üstündağ, Y. Kağan Kadioğlu, Multi-element analysis of pyrite ores using polarized energy-dispersive X-ray fluorescence spectrometry, *Appl. Radiat. Isot.* 65 (2007) 809–813. <https://doi.org/10.1016/j.apradiso.2007.03.004>.
- [13] O.M. Kalfa, Z. Üstündağ, I. Özkirim, Y. Kagan Kadioğlu, Analysis of tincal ore waste by energy dispersive X-ray fluorescence (EDXRF) Technique, *J. Quant. Spectrosc. Radiat. Transf.* 103 (2007) 424–427. <https://doi.org/10.1016/j.jqsrt.2006.02.059>.
- [14] P.E. Paus, Determination of some heavy metals in sea water by atomic absorption spectrophotometry, *Fresenius' Zeitschrift Für Anal. Chemie.* 264 (1973) 118–122. <https://doi.org/10.1007/BF00424622>.
- [15] C. Martinez-Lopez, M. Sakayanagi, J.R. Almirall, Elemental analysis of packaging tapes by LA-ICP-MS and LIBS, *Forensic Chem.* 8 (2018) 40–48. <https://doi.org/10.1016/j.forc.2018.01.004>.
- [16] J. Xia, Y. Fang, Y. Chen, Y. Pan, P. Li, M. Xue, Q. Hu, Lead speciation analysis in rice by reversed phase chromatography with inductively coupled plasma mass spectrometry, *J. Food Compos. Anal.* 60 (2017) 74–80. <https://doi.org/10.1016/j.jfca.2017.03.002>.
- [17] A. Erkal, I. Üstündağ, S. Yavuz, Z. Üstündağ, An Electrochemical application of MnO<sub>2</sub> decorated graphene supported glassy carbon ultrasensitive electrode: Pb<sup>2+</sup> and Cd<sup>2+</sup> analysis of seawater samples, *J. Electrochem. Soc.* 162 (2015) H213–H219. <https://doi.org/10.1149/2.0571504jes>.
- [18] İ. Üstündağ, A. Erkal, T. Koralay, Y.K. Kadioğlu, S. Jeon, Gold nanoparticle included graphene oxide modified electrode: Picomole detection of metal ions in seawater by stripping voltammetry, *J. Anal. Chem.* 71 (2016) 685–695. <https://doi.org/10.1134/S1061934816070108>.
- [19] I. Üstündağ, A. Erkal, Determination of dopamine in the presence of ascorbic acid on digitonin-doped coal tar pitch carbonaceous electrode, *Sensors Mater.* 29 (2017) 85–94. <https://doi.org/10.18494/SAM.2017.1416>.
- [20] S. Yavuz, A. Erkal, İ.A. Kariper, A.O. Solak, S. Jeon, İ.E. Mülazımoğlu, Z. Üstündağ, Oxide-based carbon electrode: Preparation, characterization, and heavy metal analysis in food samples, *Food Anal. Methods.* 9 (2016) 322–331. <https://doi.org/10.1007/s12161-015->

0198-3.

- [21] A. Erkal, M.S. Erdođan, I. Ařık, H. Ekři, S. Jeon, A.O. Solak, Z. Üstündađ, Electrografting and surface properties of some substituted nitrophenols on glassy carbon electrode and simultaneous Pb<sup>2+</sup> - Cd<sup>2+</sup> analysis via assist of graphene oxide terminated surface, *J. Electrochem. Soc.* 161 (2014) 696–704. <https://doi.org/10.1149/2.1081410jes>.
- [22] I. Üstündađ, A. Erkal, Z. Üstündađ, A.O. Solak., Electrochemical detection of cadmium and lead in rice on manganese dioxide reinforced carboxylated graphene oxide nanofilm, *MANAS J. Eng.* 6 (2018) 96–109.
- [23] H.G. Gorchev, G. Ozolins, Guidelines for drinking-water quality, 3rd ed., World Health Organization, 2004. [https://doi.org/10.1016/S1462-0758\(00\)00006-6](https://doi.org/10.1016/S1462-0758(00)00006-6).
- [24] M. řćiban, M. Klařnja, B. řkrbić, Adsorption of copper ions from water by modified agricultural by-products, *Desalination*. 229 (2008) 170–180. <https://doi.org/10.1016/j.desal.2007.08.017>.
- [25] K. Feng, G. Wen, Absorbed Pb<sup>2+</sup> and Cd<sup>2+</sup> ions in water by cross-linked starch xanthate, *Int. J. Polym. Sci.* 2017 (2017). <https://doi.org/10.1155/2017/6470306>.
- [26] M.R. Awual, M. Ismael, T. Yaita, S.A. El-Safty, H. Shiwaku, Y. Okamoto, S. Suzuki, Trace copper(II) ions detection and removal from water using novel ligand modified composite adsorbent, *Chem. Eng. J.* 222 (2013) 67–76. <https://doi.org/10.1016/j.cej.2013.02.042>.
- [27] F.S. Teodoro, S.N. do C. Ramos, M.M.C. Elias, A.B. Mageste, G.M.D. Ferreira, L.H.M. da Silva, L.F. Gil, L.V.A. Gurgel, Synthesis and application of a new carboxylated cellulose derivative. Part I: Removal of Co<sup>2+</sup>, Cu<sup>2+</sup> and Ni<sup>2+</sup> from monocomponent spiked aqueous solution, *J. Colloid Interface Sci.* 483 (2016) 185–200. <https://doi.org/10.1016/j.jcis.2016.08.004>.
- [28] I. Sierra, D. Pérez-Quintanilla, Heavy metal complexation on hybrid mesoporous silicas: An approach to analytical applications, *Chem. Soc. Rev.* 42 (2013) 3792–3807. <https://doi.org/10.1039/c2cs35221d>.
- [29] V.C.G. Dos Santos, J.V.T.M. De Souza, C.R.T. Tarley, J. Caetano, D.C. Dragunski, Copper ions adsorption from aqueous medium using the biosorbent sugarcane bagasse in natura and chemically modified, *Water, Air, Soil Pollut.* 216 (2011) 351–359. <https://doi.org/10.1007/s11270-010-0537-3>.
- [30] E.M. Ahmed, Hydrogel : Preparation, characterization, and applications: A review, *J. Adv.*

- Res. 6 (2015) 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>.
- [31] H.S. Mansur, R.L. Oréface, A.A.P. Mansur, Characterization of poly(vinyl alcohol)/poly(ethylene glycol) hydrogels and PVA-derived hybrids by small-angle X-ray scattering and FTIR spectroscopy, *Polymer (Guildf)*. 45 (2004) 7193–7202. <https://doi.org/10.1016/j.polymer.2004.08.036>.
- [32] M.F. Akhtar, M. Hanif, N.M. Ranjha, Methods of synthesis of hydrogels . . . A review, *Saudi Pharm. J.* 24 (2016) 554–559. <https://doi.org/10.1016/j.jsps.2015.03.022>.
- [33] Q. Li, D. Yang, G. Ma, Q. Xu, X. Chen, F. Lu, J. Nie, Synthesis and characterization of chitosan-based hydrogels, *Int. J. Biol. Macromol.* 44 (2009) 121–127. <https://doi.org/10.1016/j.ijbiomac.2008.11.001>.
- [34] S. Shetye, A. Godbole, S. Bhilegaokar, P. Gajare, Hydrogels: Introduction , preparation , characterization and applications, *Int. J. Res. Methodol.* 1 (2015) 47–71.
- [35] B. Zunic, S. Peter, Hydrogels: Methods of preparation, characterisation and applications, *Intech.* (2018) 267–322.
- [36] P. Hammond, Synthesis and properties of hydrogels of acrylamide and bisacrylamide in water, *Massachusetts Inst. Technol.* (2006).
- [37] M.F. Akhtar, M. Hanif, N.M. Ranjha, Methods of synthesis of hydrogels ... A review, *Saudi Pharm. J.* 24 (2016) 554–559. <https://doi.org/10.1016/j.jsps.2015.03.022>.
- [38] A.S. Hoffman, Hydrogels for biomedical applications, *Adv. Drug Deliv. Rev.* 64 (2012) 18–23. <https://doi.org/10.1016/j.addr.2012.09.010>.
- [39] S.M.H. Bukhari, S. Khan, M. Rehanullah, N.M. Ranjha, Synthesis and characterization of chemically cross-linked acrylic acid/gelatin hydrogels: Effect of pH and composition on swelling and drug release, *Int. J. Polym. Sci.* 2015 (2015). <https://doi.org/10.1155/2015/187961>.
- [40] Y. Zhang, L. Tao, S. Li, Y. Wei, Synthesis of multiresponsive and dynamic chitosan-based hydrogels for controlled release of bioactive molecules, *Biomacromolecules.* 12 (2011) 2894–2901. <https://doi.org/10.1021/bm200423f>.
- [41] W. Hu, Z. Wang, Y. Xiao, S. Zhang, J. Wang, Advances in crosslinking strategies of biomedical hydrogels, *Biomater. Sci.* 7 (2019) 843–855. <https://doi.org/10.1039/c8bm01246f>.
- [42] O. Akakuru, B. Isiuku, Chitosan hydrogels and their glutaraldehyde-crosslinked

- counterparts as potential drug release and tissue engineering systems - synthesis, characterization, swelling kinetics and mechanism, *J. Phys. Chem. Biophys.* 07 (2017). <https://doi.org/10.4172/2161-0398.1000256>.
- [43] N.E. Valderruten, J.D. Valverde, F. Zuluaga, E. Ruiz-Durántez, Synthesis and characterization of chitosan hydrogels cross-linked with dicarboxylic acids, *React. Funct. Polym.* 84 (2014) 21–28. <https://doi.org/10.1016/j.reactfunctpolym.2014.08.006>.
- [44] M.R. Islam, Z. Lu, X. Li, A.K. Sarker, L. Hu, P. Choi, X. Li, N. Hakobyan, M.J. Serpe, Responsive polymers for analytical applications: A review, *Anal. Chim. Acta.* 789 (2013) 17–32. <https://doi.org/10.1016/j.aca.2013.05.009>.
- [45] A.S. Hoffman, Hydrogels for biomedical applications, *Adv. Drug Deliv. Rev.* 64 (2012) 18–23. <https://doi.org/10.1016/j.addr.2012.09.010>.
- [46] H. Mittal, S.S. Ray, M. Okamoto, Recent Progress on the Design and Applications of Polysaccharide-Based Graft Copolymer Hydrogels as Adsorbents for Wastewater Purification, *Macromol. Mater. Eng.* 301 (2016) 496–522. <https://doi.org/10.1002/mame.201500399>.
- [47] Y. Zhou, S. Fu, L. Zhang, H. Zhan, M. V. Levit, Use of carboxylated cellulose nanofibrils-filled magnetic chitosan hydrogel beads as adsorbents for Pb(II), *Carbohydr. Polym.* 101 (2014) 75–82. <https://doi.org/10.1016/j.carbpol.2013.08.055>.
- [48] M.A. Barakat, New trends in removing heavy metals from industrial wastewater, *Arab. J. Chem.* 4 (2011) 361–377. <https://doi.org/10.1016/j.arabjc.2010.07.019>.
- [49] B. Xiang, W. Fan, X. Yi, Z. Wang, F. Gao, Y. Li, H. Gu, Dithiocarbamate-modified starch derivatives with high heavy metal adsorption performance, *Carbohydr. Polym.* 136 (2016) 30–37. <https://doi.org/10.1016/j.carbpol.2015.08.065>.
- [50] G.R. Mahdavinia, S. Hasanpour, L. Behrouzi, H. Sheykhloie, Study on adsorption of Cu(II) on magnetic starch-g-polyamidoxime/montmorillonite/Fe<sub>3</sub>O<sub>4</sub> nanocomposites as novel chelating ligands, *Starch/Staerke.* 68 (2016) 188–199. <https://doi.org/10.1002/star.201400255>.
- [51] A. Buléon, P. Colonna, V. Planchot, S. Ball, Starch granules: Structure and biosynthesis, *Int. J. Biol. Macromol.* 23 (1998) 85–112. [https://doi.org/10.1016/S0141-8130\(98\)00040-3](https://doi.org/10.1016/S0141-8130(98)00040-3).
- [52] R. Cheng, S. Ou, Application of modified starches in wastewater treatment, *Polym. Sci.*

- (2009) 52–61.
- [53] C. Wan, J. Li, Facile synthesis of well-dispersed superparamagnetic  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles encapsulated in three-dimensional architectures of cellulose aerogels and their applications for Cr(VI) removal from contaminated Water, *ACS Sustain. Chem. Eng.* 3 (2015) 2142–2152. <https://doi.org/10.1021/acssuschemeng.5b00384>.
- [54] S. Kalidhasan, A. Santhana KrishnaKumar, V. Rajesh, N. Rajesh, Ultrasound-assisted preparation and characterization of crystalline cellulose-ionic liquid blend polymeric material: A prelude to the study of its application toward the effective adsorption of chromium, *J. Colloid Interface Sci.* 367 (2012) 398–408. <https://doi.org/10.1016/j.jcis.2011.09.062>.
- [55] J. Wang, X. Lu, P.F. Ng, K.I. Lee, B. Fei, J.H. Xin, J. yong Wu, Polyethylenimine coated bacterial cellulose nanofiber membrane and application as adsorbent and catalyst, *J. Colloid Interface Sci.* 440 (2015) 32–38. <https://doi.org/10.1016/j.jcis.2014.10.035>.
- [56] G. Jing, L. Wang, H. Yu, W.A. Amer, L. Zhang, Recent progress on study of hybrid hydrogels for water treatment, *Colloids Surfaces A Physicochem. Eng. Asp.* 416 (2013) 86–94. <https://doi.org/10.1016/j.colsurfa.2012.09.043>.
- [57] P.J. Flory, *Principles of polymer chemistry*, Cornell University Press, 1953.
- [58] G.A. Mahmoud, S.F. Mohamed, H.M. Hassan, Removal of methylene blue dye using biodegradable hydrogel and reusing in a secondary adsorption process, *Desalin. Water Treat.* 54 (2015) 2765–2776. <https://doi.org/10.1080/19443994.2014.905978>.
- [59] P. Souda, L. Sreejith, Environmental sensitive hydrogel for purification of waste water: Part 1: Synthesis and characterization, *Polym. Bull.* 71 (2014) 839–854. <https://doi.org/10.1007/s00289-014-1097-2>.
- [60] J. Diani, K. Gall, Removal of methylene blue dyes from wastewater using cellulose-based superadsorbent hydrogels, *Polym. Eng. Sci.* (2006). <https://doi.org/10.1002/pen.22020>.
- [61] T. Trakulsujaritchok, N. Noiphom, N. Tangtreamjitmun, R. Saeeng, Adsorptive features of poly(glycidyl methacrylate-co-hydroxyethyl methacrylate): Effect of porogen formulation on heavy metal ion adsorption, *J. Mater. Sci.* 46 (2011) 5350–5362. <https://doi.org/10.1007/s10853-011-5473-0>.
- [62] L. Jiang, P. Liu, Design of magnetic attapulgite/fly ash/poly(acrylic acid) ternary nanocomposite hydrogels and performance evaluation as selective adsorbent for Pb<sup>2+</sup> Ion,

- ACS Sustain. Chem. Eng. 2 (2014) 1785–1794. <https://doi.org/10.1021/sc500031z>.
- [63] D. Buenger, F. Topuz, J. Groll, Hydrogels in sensing applications, *Prog. Polym. Sci.* 37 (2012) 1678–1719. <https://doi.org/10.1016/j.progpolymsci.2012.09.001>.
- [64] H.J. Van Der Linden, S. Herber, W. Olthuis, P. Bergveld, Stimulus-sensitive hydrogels and their applications in chemical (micro)analysis, *Analyst.* 128 (2003) 325–331. <https://doi.org/10.1039/b210140h>.
- [65] D. Buenger, F. Topuz, J. Groll, Progress in Polymer Science Hydrogels in sensing applications, *Prog. Polym. Sci.* 37 (2012) 1678–1719. <https://doi.org/10.1016/j.progpolymsci.2012.09.001>.
- [66] M.A. Cimpean, I. Craciunescu, D. Gligor, Amperometric sensor based on HEMA hydrogels modified with Toluidine Blue for nitrite detection in water samples, *Mater. Chem. Phys.* 200 (2017) 233–240. <https://doi.org/10.1016/j.matchemphys.2017.07.057>.
- [67] Y.Y. Li, B. Wang, M.G. Ma, B. Wang, Review of Recent Development on Preparation, Properties, and Applications of Cellulose-Based Functional Materials, *Int. J. Polym. Sci.* 2018 (2018). <https://doi.org/10.1155/2018/8973643>.
- [68] J. Deng, W. Liang, J. Fang, Liquid Crystal Droplet-Embedded Biopolymer Hydrogel Sheets for Biosensor Applications, *ACS Appl. Mater. Interfaces.* 8 (2016) 3928–3932. <https://doi.org/10.1021/acsami.5b11076>.
- [69] L. Li, Y. Wang, L. Pan, Y. Shi, W. Cheng, Y. Shi, G. Yu, A nanostructured conductive hydrogels-based biosensor platform for human metabolite detection, *Nano Lett.* 15 (2015) 1146–1151. <https://doi.org/10.1021/nl504217p>.
- [70] L.T. Hoa, K.G. Sun, S.H. Hur, Highly sensitive non-enzymatic glucose sensor based on Pt nanoparticle decorated graphene oxide hydrogel, *Sensors Actuators B Chem.* 210 (2015) 618–623. <https://doi.org/10.1016/j.snb.2015.01.020>.
- [71] D. Zhai, B. Liu, Y. Shi, L. Pan, Y. Wang, W. Li, R. Zhang, G. Yu, Highly sensitive glucose sensor based on Pt nanoparticle/polyaniline hydrogel heterostructures, *Am. Chem. Soc.* (2013). <https://doi.org/10.1021/nm400482d>.
- [72] G. Mistlberger, M. Pawlak, E. Bakker, I. Klimant, Photodynamic optical sensor for buffer capacity and pH based on hydrogel-incorporated spiropyran, *Chem. Commun.* 51 (2015) 4172–4175. <https://doi.org/10.1039/c4cc07821g>.
- [73] Y. Zheng, S. Hua, A. Wang, Adsorption behavior of Cu<sup>2+</sup> from aqueous solutions onto

- starch-g-poly (acrylic acid)/sodium humate hydrogels, *Desalination*. 263 (2010) 170–175. <https://doi.org/10.1016/j.desal.2010.06.054>.
- [74] M. Klučáková, Complexation of Copper(II) with Humic Acids Studied by Ultrasound Spectrometry, *Org. Chem. Int.* 2012 (2012) 1–6. <https://doi.org/10.1155/2012/206025>.
- [75] E.M. Logan, I.D. Pulford, G.T. Cook, A.B. Mackenzie, Complexation of Cu<sup>2+</sup> and Pb<sup>2+</sup> by peat and humic acid, *Eur. J. Soil Sci.* 48 (2008) 685–696. <https://doi.org/10.1111/j.1365-2389.1997.tb00568.x>.
- [76] M. Klučáková, M. Pavlíková, Lignitic humic acids as environmentally-friendly adsorbent for heavy metals, *J. Chem.* 2017 (2017) 14–16. <https://doi.org/10.1155/2017/7169019>.
- [77] T. Bartelme, E. Borneman, C. Braithwaite, A. Calfo, Organic compounds in the reef aquarium, *Reef Cent.* 8 (2009).
- [78] N. Saha, A. Saari, N. Roy, T. Kitano, P. Saha, Polymeric Biomaterial Based Hydrogels for Biomedical Applications, *J. Biomater. Nanobiotechnol.* 02 (2011) 85–90. <https://doi.org/10.4236/jbnb.2011.21011>.
- [79] H.P. Merkle, Drug delivery's quest for polymers: Where are the frontiers?, *Eur. J. Pharm. Biopharm.* 97 (2015) 293–303. <https://doi.org/10.1016/j.ejpb.2015.04.038>.
- [80] D. Schmaljohann, Thermo- and pH-responsive polymers in drug delivery, *Adv. Drug Deliv. Rev.* 58 (2006) 1655–1670. <https://doi.org/10.1016/j.addr.2006.09.020>.
- [81] O. Okay, Macroporous copolymer networks, *Prog. Polym. Sci.* 25 (2000) 711–779. [https://doi.org/10.1016/S0079-6700\(00\)00015-0](https://doi.org/10.1016/S0079-6700(00)00015-0).
- [82] W. Kim, J. Jung, Polymer brush: A promising grafting approach to scaffolds for tissue engineering, *BMB Rep.* 49 (2016) 655–661. <https://doi.org/10.5483/BMBRep.2016.49.12.166>.
- [83] R. Sunasee, R. Narain, Covalent and noncovalent bioconjugation strategies, *Chem. Bioconjugates*. 9781118359 (2014) 1–75. <https://doi.org/10.1002/9781118775882.ch1>.
- [84] Y. Laor, C. Zolkov, R. Armon, Immobilizing humic acid in a sol-gel matrix: A new tool to study humic-contaminants sorption interactions, *Environ. Sci. Technol.* 36 (2002) 1054–1060. <https://doi.org/10.1021/es010761h>.
- [85] D.G. Barceloux, Copper, *Clin. Toxicol.* 37 (1999) 217–230. <https://doi.org/10.1081/CLT-100102421>.
- [86] H. Küpper, E. Andresen, Mechanisms of metal toxicity in plants, 8 (2016) 269–285.

<https://doi.org/10.1039/c5mt00244c>.

- [87] F. Haque, M. Rahman, E. Ahmed, P. Bakshi, A. Shaikh, A cyclic voltammetric study of the redox reaction of Cu(II) in presence of ascorbic acid in different pH media, *Dhaka Univ. J. Sci.* 61 (2013) 161–166. <https://doi.org/10.3329/dujs.v61i2.17064>.
- [88] B. Feier, I. Bajan, I. Fizeşan, D. Floner, C. Cristea, F. Geneste, R. Săndulescu, Highly selective electrochemical detection of copper (II) using N, N'-bis(acetylaceton)ethylenediimine as a receptor, *Int. J. Electrochem. Sci.* 10 (2015) 121–139.
- [89] J. Taylor, R. DeWoskin, F. Ennever, Toxicological profile for cadmium, ATSDR's Toxicol. Profiles. (2002). [https://doi.org/10.1201/9781420061888\\_ch151](https://doi.org/10.1201/9781420061888_ch151).
- [90] T.S. Nawrot, J.A. Staessen, H.A. Roels, E. Munters, A. Cuypers, T. Richart, A. Ruttens, K. Smeets, H. Clijsters, J. Vangronsveld, Cadmium exposure in the population: From health risks to strategies of prevention, *BioMetals.* 23 (2010) 769–782. <https://doi.org/10.1007/s10534-010-9343-z>.
- [91] F. Gay, V. Laforgia, I. Caputo, C. Esposito, M. Lepretti, A. Capaldo, Chronic exposure to cadmium disrupts the adrenal gland activity of the newt *triturus carnifex* (Amphibia, Urodela), *Biomed Res. Int.* 2013 (2013). <https://doi.org/10.1155/2013/424358>.
- [92] R.A. Bernhoft, Cadmium toxicity and treatment, *Sci. World J.* 2013 (2013). <https://doi.org/10.1155/2013/394652>.
- [93] H. Abadin, F. Llandos, Toxicological profile for lead, ATSDR's Toxicol. Profiles. (2002). [https://doi.org/10.1201/9781420061888\\_ch151](https://doi.org/10.1201/9781420061888_ch151).
- [94] G. Flora, D. Gupta, A. Tiwari, Toxicity of lead: A review with recent updates, *Interdiscip. Toxicol.* 5 (2012) 47–58. <https://doi.org/10.2478/v10102-012-0009-2>.
- [95] S.H. Kim, S.H. Shin, Y.Y. Go, S.W. Chae, J.J. Song, Effect of lead on human middle ear epithelial cells, *Biomed Res. Int.* 2018 (2018). <https://doi.org/10.1155/2018/5058729>.
- [96] H.L. Richards, P.G.L. Baker, E. Iwuoha, Metal nanoparticle modified polysulfone membranes for use in wastewater treatment: A critical review, *J. Surf. Eng. Mater. Adv. Technol.* 02 (2012) 183–193. <https://doi.org/10.4236/jsemt.2012.223029>.
- [97] K. Jamroziak, W. Jargulinski, The analysis of the electrode potential shift in the examination of plastic-covered metal fatigue strength, *Int. Sci. J.* 41 (2010) 21–27.
- [98] A. Morrin, R.M. Moutloali, A.J. Killard, M.R. Smyth, J. Darkwa, E.I. Iwuoha,



- Electrocatalytic sensor devices: (I) cyclopentadienylnickel(II) thiolato Schiff base monolayer self-assembled on gold, *Talanta*. 64 (2004) 30–38. <https://doi.org/10.1016/j.talanta.2003.11.046>.
- [99] F. Peng, X. Huang, A. Jawor, E.M.V. Hoek, Transport, structural, and interfacial properties of poly(vinyl alcohol)-polysulfone composite nanofiltration membranes, *J. Memb. Sci.* 353 (2010) 169–176. <https://doi.org/10.1016/j.memsci.2010.02.044>.
- [100] A.H.M. El-Aassar, Polysulfone/Polyvinyl alcohol thin film nano-composite membranes: Synthesis, characterization and application for desalination of saline groundwater, *J. Appl. Sci. Res.* 8 (2012) 3811–3822.
- [101] F.N. Muya, L. Phelane, P.G.L. Baker, E.I. Iwuoha, Synthesis and characterization of polysulfone hydrogels, *J. Surf. Eng. Mater. Adv. Technol.* 04 (2014) 227–236. <https://doi.org/10.4236/jsemat.2014.44025>.
- [102] P.Y. Bruice, *Organic chemistry*, 6th ed., Pearson Education Inc., 2011.
- [103] G. Inzelt, *Conducting polymers. A new era in electrochemistry*, Springer-Verlag, 2010. <https://doi.org/10.1007/s10008-009-0857-7>.
- [104] S. Thomas, R. Thomas, A.K. Zachariah, R.K. Mishra, *Spectroscopic methods for nanomaterials characterization*, Elsevier, 2017.
- [105] T. Fernández-Abedul, *Laboratory methods in dynamic electroanalysis*, Elsevier, 2019. <https://doi.org/10.1016/c2017-0-03525-5>.
- [106] S.A. Ozkan, M. Kauffmann, P. Zuman, *Electroanalysis in pharmaceutical biomedical and pharmaceutical sciences*, Springer, 2015. [https://doi.org/10.1007/978-3-662-47138-8\\_1](https://doi.org/10.1007/978-3-662-47138-8_1).
- [107] Y Saito, T. Kikuchi, *Voltammetry theory, types and applications: Chemical engineering methods and technology.*, Nova Science Publishers, Inc., 2014.
- [108] R.G. Compton, C.E. Banks, *Understanding voltammetry*, 3rd ed., World Scientific, 2007. [https://doi.org/10.1142/9789812779809\\_0004](https://doi.org/10.1142/9789812779809_0004).
- [109] A.A. Zemlianaia, T.A. Fedotcheva, A.I. Fedotchev, Modern approaches to human cognitive activity enhancement, *Usp. Fiziol. Nauk.* 41 (2010) 45–62.
- [110] B.C. Smith, *Fundamentals of fourier transform infrared spectroscopy*, 2nd ed., Taylor & Francis Group, 2011. <https://doi.org/10.1201/b10777>.
- [111] R. Jones, Infrared technology, *Kirk-Othmer Encycl. Chem. Technol.* 14 (2005) 379–416. <https://doi.org/10.1002/0471238961.0914061810151405>.

- [112] A. Christy, Y. Ozaki, V. Gregoriou, *Modern Fourier transform infrared spectroscopy*, Illustrate, Elsevier, 2001. <http://www.amazon.com/dp/0444500448>.
- [113] R.F. Egerton, *Physical principles of electron microscopy*, Springer, 2005. [https://doi.org/10.1016/s1369-7021\(05\)71290-6](https://doi.org/10.1016/s1369-7021(05)71290-6).
- [114] G. Michler, *Electron microscopy of polymers*, Springer, 2008. <https://doi.org/10.1007/978-3-540-36352-1>.
- [115] N. Yao, Z.L. Wang, *Microscopy for nanotechnology*, Kluwer Academic Publishers, 2005. <http://medcontent.metapress.com/index/A65RM03P4874243N.pdf>.
- [116] G.K. Bar, G.F. Meyers, The application of atomic force microscopy to the characterization of industrial polymer materials, *MRS Bull.* 29 (2004) 464–470. <https://doi.org/10.1557/mrs2004.140>.
- [117] D. Ricci, P.C. Braga, *Methods in molecular biology: Atomic force microscopy :Biomedical methods and applications*, Humana Press, 2004. <https://doi.org/10.1385/1-59259-077-2:199>.
- [118] A. Wahl, K. Dawson, N. Sassiati, A.J. Quinn, A. O’Riordan, Nanomolar trace metal analysis of copper at gold microband arrays, *J. Phys. Conf. Ser.* 307 (2011) 1–7. <https://doi.org/10.1088/1742-6596/307/1/012061>.
- [119] P.Y. Bruice, *Organic chemistry*, 8th ed., Pearson Education, 2016.
- [120] J.S. Taurozzi, H. Arul, V.Z. Bosak, A.F. Burban, T.C. Voice, M.L. Bruening, V. V. Tarabara, Effect of filler incorporation route on the properties of polysulfone-silver nanocomposite membranes of different porosities, *J. Memb. Sci.* 325 (2008) 58–68. <https://doi.org/10.1016/j.memsci.2008.07.010>.
- [121] F. Denisa, A. Ficai, G. Voicu, B.S. Vasile, C. Guran, E. Andronescu, Polysulfone based membranes with desired pores characteristics, *Mater. Plast.* 47 (2010) 24–27.
- [122] J. Pretorius, *International protocols regarding global climate change and the impact on water resources*, *Encycl. Life Support Syst.* II (n.d.).
- [123] R. Naim, F. Ismail, H. Saidi, E. Saion, Development of sulfonated polysulfone membranes as a material for Proton Exchange Membrane (PEM), *Mater. Sci.* (2004) 1–17. <http://eprints.utm.my/1037/>.
- [124] K.S. Kim, K.H. Lee, K. Cho, C.E. Park, Surface modification of polysulfone ultrafiltration membrane by oxygen plasma treatment, *J. Memb. Sci.* 199 (2002) 135–145.

[https://doi.org/10.1016/S0376-7388\(01\)00686-X](https://doi.org/10.1016/S0376-7388(01)00686-X).

- [125] S.H. Baxamusa, L. Montero, J.M. Dubach, H.A. Clark, S. Borros, K.K. Gleason, Protection of sensors for biological applications by photoinitiated chemical vapor deposition of hydrogel thin films, *Biomacromolecules*. 9 (2008) 2857–2862. <https://doi.org/10.1021/bm800632d>.
- [126] R. Wu, S. Zhang, J. Lyu, F. Lu, X. Yue, J. Lv, A visual volumetric hydrogel sensor enables quantitative and sensitive detection of copper ions, *Chem. Commun.* 51 (2015) 8078–8081. <https://doi.org/10.1039/c5cc00744e>.
- [127] J.D. Miller, S. Veeramasuneni, J. Drelich, M.R. Yalamanchili, G. Yamauchi, Effect of roughness as determined by atomic force microscopy on the wetting properties of PTFE thin films, *Polym. Eng. Sci.* 36 (1996) 1849–1855. <https://doi.org/10.1002/pen.10580>.
- [128] S.M. Moosavi, S. Ghassabian, Linearity of calibration curves for analytical methods: A Review of criteria for assessment of method reliability, *IntechOpen*. (2018). <https://doi.org/10.5772/intechopen.72932>.
- [129] G. Mehmet, The role of and the place of method validation in drug analysis using electroanalytical techniques, *Open Anal. Chem. J.* 5 (2011) 1–21. <https://doi.org/10.2174/187406500115010001>.
- [130] M. Heitzmann, C. Bucher, J.C. Moutet, E. Pereira, B.L. Rivas, G. Royal, E. Saint-Aman, Complexation of poly(pyrrole-EDTA like) film modified electrodes: Application to metal cations electroanalysis, *Electrochim. Acta.* 52 (2007) 3082–3087. <https://doi.org/10.1016/j.electacta.2006.09.041>.
- [131] W. Yang, E. Chow, G.D. Willett, D.B. Hibbert, J.J. Gooding, Exploring the use of the tripeptide Gly-Gly-His as a selective recognition element for the fabrication of electrochemical copper sensors, *Analyst.* 128 (2003) 712–718. <https://doi.org/10.1039/b212881k>.
- [132] A.C. Liu, D.C. Chen, C.C. Lin, H.H. Chou, C.H. Chen, Application of cysteine monolayers for electrochemical determination of sub-ppb copper(II), *Anal. Chem.* 71 (1999) 1549–1552. <https://doi.org/10.1021/ac980956g>.
- [133] B. Shi, H.E. Allen, M.T. Grassi, H. Ma, Modeling copper partitioning in surface waters, *Water Res.* 32 (1998) 3756–3764. [https://doi.org/10.1016/S0043-1354\(98\)00162-6](https://doi.org/10.1016/S0043-1354(98)00162-6).
- [134] F.J. Stevenson, Humic substances in the environment, *Soil Sci. Soc. Am. J.* 39 (1975) vi–

- vi. <https://doi.org/10.2136/sssaj1975.03615995003900030006x>.
- [135] J. Gabriel Alonso, A. José Luis Rivera, M. Ana María Mendoza, H. Maria Leonor Mendez, Effect of temperature and pH on swelling behavior of hydroxyethyl cellulose-acrylamide hydrogel, *E-Polymers*. (2007) 150. <https://doi.org/10.1515/epoly.2007.7.1.1744>.
- [136] Z.X. Sun, R.O. Sköld, A multi-parameter titration method for the determination of formation pH for metal hydroxides, *Miner. Eng.* 14 (2001) 1429–1443. [https://doi.org/10.1016/S0892-6875\(01\)00157-1](https://doi.org/10.1016/S0892-6875(01)00157-1).
- [137] Q. Rong, K. Zhong, H. Huang, C. Li, C. Zhang, Humic acid reduces the available cadmium, copper, lead, and zinc in soil and their uptake by tobacco, *Appl. Sci.* (2020). <https://doi.org/10.3390/app10031077>.
- [138] Z.R. Komy, A.M. Shaker, S.E.M. Heggy, M.E.A. El-Sayed, Kinetic study for copper adsorption onto soil minerals in the absence and presence of humic acid, *Chemosphere*. 99 (2014) 117–124. <https://doi.org/10.1016/j.chemosphere.2013.10.048>.
- [139] L. Mao, S.D. Young, E.H. Bailey, Lability of copper bound to humic acid, *Chemosphere*. 131 (2015) 201–208. <https://doi.org/10.1016/j.chemosphere.2015.03.035>.
- [140] H. Whitby, C.M.G. van den Berg, Evidence for copper-binding humic substances in seawater, *Mar. Chem.* 173 (2015) 282–290. <https://doi.org/10.1016/j.marchem.2014.09.011>.
- [141] Y. Oztekin, A. Ramanaviciene, A. Ramanavicius, Electrochemical determination of cu(ii) ions by 4-formylphenylboronic acid modified gold electrode, *Electroanalysis*. 23 (2011) 1645–1653. <https://doi.org/10.1002/elan.201100121>.
- [142] Y. Lu, X. Liang, C. Niyungeko, J. Zhou, J. Xu, G. Tian, A review of the identification and detection of heavy metal ions in the environment by voltammetry, *Talanta*. 178 (2018) 324–338. <https://doi.org/10.1016/j.talanta.2017.08.033>.
- [143] M. Radaelli, E. Scalabrin, G. Toscano, G. Capodaglio, High performance size exclusion chromatography-inductively coupled plasma-mass spectrometry to study the copper and cadmium complexation with humic acids, *Molecules*. 24 (2019). <https://doi.org/10.3390/molecules24173201>.
- [144] E. Jeong, M. Won, Y. Shim, Simultaneous determination of lead, copper, and mercury at a modified carbon paste electrode containing humic acid, *Electroanalysis*. 6 (1994) 887–893. <https://doi.org/10.1002/elan.1140061014>.

- [145] S.S. Zumdahl, S.A. Zumdahl, Chemistry, 7th ed., Houghton Mifflin Company, 2007.
- [146] G. Tabbi, A. Giuffrida, R.P. Bonomo, Determination of formal redox potentials in aqueous solution of copper(II) complexes with ligands having nitrogen and oxygen donor atoms and comparison with their EPR and UV-Vis spectral features, *J. Inorg. Biochem.* 128 (2013) 137–145. <https://doi.org/10.1016/j.jinorgbio.2013.07.035>.
- [147] T. Andelković, R. Nikolić, A. Bojić, D. Andelković, G. Nikolić, Binding of cadmium to soil humic acid as a function of carboxyl group content., *Maced. J. Chem. Chem. Eng.* 29 (2010) 215–224. <https://doi.org/10.20450/mjccce.2010.168>.
- [148] L. Chen, Z. Su, X. He, Y. Liu, C. Qin, Y. Zhou, Z. Li, L. Wang, Q. Xie, S. Yao, Square wave anodic stripping voltammetric determination of Cd and Pb ions at a Bi/Nafion/thiolated polyaniline/glassy carbon electrode, *Electrochem. Commun.* 15 (2012) 34–37. <https://doi.org/10.1016/j.elecom.2011.11.021>.
- [149] G. Roa, M.T. Ramírez-Silva, M.A. Romero-Romo, L. Galicia, Determination of lead and cadmium using a polycyclodextrin-modified carbon paste electrode with anodic stripping voltammetry, *Anal. Bioanal. Chem.* 377 (2003) 763–769. <https://doi.org/10.1007/s00216-003-2126-4>.
- [150] N. Promphet, P. Rattanarat, R. Rangkupan, O. Chailapakul, N. Rodthongkum, An electrochemical sensor based on graphene/polyaniline/polystyrene nanoporous fibers modified electrode for simultaneous determination of lead and cadmium, *Sensors Actuators, B Chem.* 207 (2015) 526–534. <https://doi.org/10.1016/j.snb.2014.10.126>.
- [151] M. Grabarczyk, A. Koper, Direct determination of cadmium traces in natural water by adsorptive stripping voltammetry in the presence of cupferron as a chelating agent, *Electroanalysis.* 24 (2012) 33–36. <https://doi.org/10.1002/elan.201100357>.
- [152] J. Rangarajan, R. Sundaresan, B.I. Nemade, A polarographic study of methionine complexes of cadmium in mixed solvents, *Proc. Indian Acad. Sci.* 86 (1977) 333–340. <https://doi.org/10.1007/BF03046848>.
- [153] J.H. Hwang, P. Pathak, X. Wang, K.L. Rodriguez, H.J. Cho, W.H. Lee, A novel bismuth-chitosan nanocomposite sensor for simultaneous detection of Pb(II), Cd(II) and Zn(II) in wastewater, *Micromachines.* 10 (2019). <https://doi.org/10.3390/mi10080511>.
- [154] W.L. Yan, R. Bai, Adsorption of lead and humic acid on chitosan hydrogel beads, *Water Res.* 39 (2005) 688–698. <https://doi.org/10.1016/j.watres.2004.11.007>.

- [155] W. Giraldo, E. Romero, M. Chaur, Electrochemical studies of grid and linear type  $M^{2+}$  ( $M=Zn, Cd$  and  $Pb$ ) complexes of a bis-(hydrazone) bearing two symmetric carboxylic groups, *Rev. Ciencias.* 21 (2018) 113. <https://doi.org/10.25100/rc.v21i1.6347>.

